

EAST AFRICAN AGRICULTURAL AND FORESTRY
JOURNAL

CUMULATIVE INDEX

VOLUMES

36-40

Editor

T. W. Olembo

SEP 29 10 14 AM '81

UNIVERSITY OF HAWAII
LIBRARY

N.B.—The bold figures and the ones in parentheses in each numerical reference are the volume and issue numbers respectively.

PERIODICAL
S
17
E 1
Index
36-40

LIBRARY

SUBJECT INDEX

- A comparative study of the semen and seminal characteristics of two breeds of goats (G. IGBOEDI) .. 40(2)132
- A new cultivar in sisal from East Africa: *Agave sisalana* perr. ex Engelm. ev. Hildana (J. J. BOS and F. H. G. LENSING) .. 39(1)17
- A note—
on milk yield of East African dairy cattle based on partial lactation measurements (G. H. KIWUWA) .. 39(2)105
on the amino-acid composition of some legume seeds grown in Tanzania (L. A. MTENGA and I. SUGIYAMA) .. 39(3)307
on the occurrence of *Cryptotermes* spp. in the Lake Victoria area (P. A. CAMPBELL) 39(4)433
on wilt of banana caused by the insect with organism *Xanthomonas musacearum* (D. YIRGOU and J. F. BRADBURY) .. 40(1)111
- A preliminary—
note on the use of molasses in the feeding of growing pigs (B. M. BAUSTAD) .. 39(2)203
study of the food plants of the West Nile and Madi Districts of Uganda. The utilization of leaves and fruits of local and mainly indigenous plants in supplementing the staple foods (A. C. TALLANTIRE and P. M. GOODE) .. 40(3)233
- A review—
of banana weevil control in Uganda, with further tests of dieldrin formulations (D. N. MCNUTT) .. 39(3)205
of biological control of Coffee Insect pests in Kenya (R. O. ABASA) .. 40(3)292
- A survey of impurities in the Ethiopian crop seed samples (G. H. WILLIAMS) .. 40(4)452
- An annotated list of insects associated with stored products in Ethiopia, including notes on mites found in Harar Province (D. J. WALKER and R. A. BOXALL) .. 39(3)330
- An evaluation of five insecticides for use against pests of cowpeas (*Vigna unguiculata* (L) walp.) with special reference to green pod yield (P. M. MEHTA and Z. M. NYIIRA) 39(2)99
- Acacia hockii* de Wild. The effect of foliar spraying of, with picloram and 2, 4-D/picloram mixtures and additional treatment with picloram granules (G. N. HARRINGTON) 37(3)197
- Acacia mearnsii* de Wild. in Kenya, *Phoma herbarum* westend: a pathogen of (T. W. OLEMBO) .. 38(2)201
- Acanthomia* spp. (Correidae, Hemiptera). Toxicity of technical endosulfan applied topically to (M. E. A. MATERU and R. A. MAKUSI) .. 37(4)313
- Acanthomia* spp. (Hemiptera, Coreidae). Population dynamics of, on beans and pigeon peas in the Arusha area of Tanzania (M. E. A. MATERU) .. 36(4)361
- Acidity and cation content of nutrient supply on yield of pyrethrum, (*Chrysanthemum cinerariaefolium*) (A. PINKERTON) .. 37(1)87
- Action, the, of copper fungicides in the control of Dothistroma Blight of pines—a pilot study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) .. 36(2)139
- Aerial application of chemicals to control bush in East Africa (G. W. IVENS and D. J. PRATT) .. 40(3)278
- Aerial sprays against *Glossina swynnertoni* Aust. in savanna woodland, An attempt to reduce the cost of pyrethrum (C. S. TARIMO, J. D. PAKER and J. M. KAHUMBURA) .. 38(1)47
- Aerial spray trial on Kenaf insect pests at Kahe, Tanzania (M. E. A. MATERU, J. M. KAHUMBURA, M. M. LWANGA, W. W. LUHANGA, E. N. SHIKONY, I. M. LUSASI, R. A. MAKUSI and J. FRANCIS) .. 40(1)50
- Africa(n) East—
Gonometa podorcarpi Aur. (Lepidoptera. Lasiocampidae) a defoliator of exotic softwoods in. The biology and life cycle at Moku, Kigezi district in Uganda (O. AUSTARA) .. 36(3)275
Host list and distribution of Lepidopterous defoliators of exotic softwoods in (O. AUSTARA and T. JONES) .. 36(1)401
The effect of artificial defoliation on the growth of *Pinus patula* in (O. AUSTARA) 36(1)114
Tests of insecticides against *Pineus* spp. in (K. W. BROWN) .. 36(2)200
White sugarcane scales (*Aulacaspis* spp.) Diaspididae. Hemiptera) with notes on their natural enemies in (D. J. GREATHEAD) .. 36(1)70
- A punch-card method for the identification of grasses based on vegetative character (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) .. 36(4)334
- A note on chemical content of some grasses (R. TAERUM) .. 36(2)171
- Strength variations and correlations in exotic pines and their effect on engineering properties in (D. N. PATERSON and P. CAMPBELL) .. 36(1)7
- Agave* hybrid No. 11648. Host range studies on the pathogen of Zebra disease of *Phytophthora nicotianae* (D. J. ALLEN) .. 36(1)119
- Age/sex groups of Kenya range cattle, the estimation of live weight from heart girth within specified (D. L. YOUNG) .. 38(2)193
- Age, year and season effects on dairy performance of Friesian and Jersey cattle on privately owned farms in Kenya (G. H. KIWUWA) .. 39(3)298
- Agricultural soyabeans as a potentially valuable crop for diversification in Central Uganda (C. L. A. LEAKEY and P. R. RUBAIHAYO) .. 36(1)39

- Agronomy, soyabean in Uganda. I. Plant populations and spacing (C. L. A. LEAKEY and P. R. RUBAIHAYO) .. 37(3)201
- Altitude and environmental responses of entries in the 1970-71 Eastern African maize variety trial (L. L. DARRAH and L. H. PENNY) .. 40(1)77
- Allen cotton (*Gossypium hirsutum*), plant hairiness in (N. INNES and L. N. BUSUULWA) 38(3)298
- Analogues, with *Heliothis armigera* (Hubner), *Sitiphilus zeamia* Motshulsky and *Ephestia cautella* (W. R. BRANSBY-WILLIAMS) .. 38(3)170
- Analysis—
 rapid routine soil and plant, without automatic equipment.
 I. Routine soil analysis (H. L. FOSTER) 32 (2)160
 II. Routine plant analysis (H. L. FOSTER) .. 38(2)130
- Antelope, the dikdik, studies on the environmental physiology of a semi-desert (A. SCHOEN) .. 37(4)325
- Anthesis on the yield of sorghum, effect of defoliation of flag leaf stage and time of (B. A. C. ENYI) .. 38(4)410
- Arabica coffee—
 A note on the seasonal variations in starch content of different parts of (R. Z. PATEL) .. 36(1)1
 Seedlings, observations of the water culture technique for studying the effects of copper concentrations on (E. A. ADUAYI) .. 38(1)62
 Variations in the level of *colletotrichum coffeanum* Noak in the bark of cultivars (S. M. MULINGE) .. 36(2)227
- Armyworm damage and crop-loss in maize and sorghum, The relation between simulated (E. S. BROWN and A. K. A. MOHAMED) .. 37(3)237
- Artificial defoliation. The effect of, on the growth of *Pinus patula* in East Africa (O. AUSTARA) .. 36(1)114
- Artificial *Eucalyptus grandis* x *tereticornis* hybrids: survival, growth and wood density studies (A. S. HANS) .. 39(3)336
- Arusha National Park, Tanzania, the dynamic aspects of the secondary vegetation in (D. F. VESSEY-FITZGERALD) .. 38(3)314
- Ascotis selenaria reciprocata* Walk., The praying mantis of the giant looper, in Kenya coffee. Laboratory evaluation. (R. D. ABASA and W. M. MATHENGE) .. 37(2)177
- Aspects of the secondary vegetation in Arusha National Park, Tanzania, the dynamic (D. F. VESSEY-FITZGERALD) .. 38(3)314
- Attack, Effects of, by *Melanagromyca chalcosoma* Speneer. On germination and development of cowpea (C. S. KOEHLER and P. N. MEHTA) .. 36(1)83
- Aulacaspis* spp. (Diaspididae-Hemiptera) white sugarcane in East Africa, with notes on their natural enemies (D. J. GREATHEAD) .. 36(1)70
- Automated methods for nitrogen, phosphorus and potassium determination in coffee plant and mulching materials (B. S. KIMEU and E. A. ADUAYI) .. 38(2)207
- Autoploidy, Effects of, on grain sorghum (B. N. MAJISU) .. 36(3)235
- Autotetraploid sorghum improvement, some cytological aspects of (B. N. MAJISU) .. 37(1)54
- Bean(s)—
 in East Africa, lysimeter study of water use of maize and (F. J. WANG'ATI) .. 38(2)141
 Population dynamics of *Acanthomia* spp. (Hemiptera: Coreidae) in the Arusha area of Tanzania, on pigeon peas and (M. E. A. MATERU) .. 36(4)367
 responses to fertilizers on Mt. Kilimanjaro in relation to soil and climatic conditions (G. D. ANDERSON) .. 39(4)292
 Soya, Introduction, testing and selection of, in Uganda (P. R. RUBAIHAYO and C. L. A. LEAKEY) .. 36(1)77
- Beef cattle, stall feeding—experiments with, in Southern Malawi (A. T. SPURLING and D. SPURLING) .. 38(1)70
- Biology and life cycle of *Gonometa podocarpis* Aur. (Lepidoptera: Lasiocampidae) a defoliator of exotic softwoods in East Africa, at Muko, Kigezi district in Uganda, the (O. AUSTARA) .. 36(3)275
- Biology and notes on the control of *Heliothis armigera* (Hub) on pigeon pea in Uganda (C. S. KOEHLER and K. O. RACHIE) .. 36(3)276
- Blight—
 Dothistroma, of pines, the action of copper fungicides in the control of—a pilot study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) .. 36(2)139
 Dothistroma of *Pinus radiata* using copper fungicide sprays, field control of I. A. S. GIBSON) .. 36(3)247
 Halo, of oats in Kenya (D. E. HARDER and D. C. HARRIS) .. 38(3)241
- Boran and crossbred steers at Kongwa, Tanzania, studies on water consumption, night grazing and growth (P. M. WIGG, and M. A. OWEN) .. 38(4)361
- Boran, *Bos indicus* and *Bos taurus* (Hereford) steers, Metabolism of dietary urea by (C. N. KARUE, J. L. EVANS and A. D. TILMAN) .. 38(1)94
- Boron, the importance of, and NPK fertilizers to *Eucalyptus* in the Southern Province, Zambia. (E. N. COOLING and B. E. JONES) .. 36(2)185
- Bos indicus* (Boran) and *Bos taurus* (Hereford) steers, Metabolism of dietary urea by (C. N. KARUE, J. L. EVANS and A. D. TILMAN) .. 38(1)94
- Bos indicus* heifers, synchronization of oestrus and ovulation in, using an orally active progestogen (J. S. MACFARLANE and R. SALEKA) .. 36(4)353
- Bos taurus* (Hereford) steers, Metabolism of

- dietary urea by *Bos indicus* (Boran) and (C. N. KARUE, J. L. EVANS and A. D. TILMAN) ... 38(1)94
- Botanical composition of some selected grass/legume pasture mixtures at different seeding rates, The productivity and (F. J. OLSEN and E. R. TUARUHONDI) ... 38(1)16
- Brachiaria riziensis*, *Chloris gayana* and *Setaria sphacelata*, Digestibility and feed intake investigations at different stages of growth of, using corriedale wether sheep.
- I. Digestibility and voluntary intake (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(2)127
- II. Chemical composition and yield (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(4)267
- Breeding cotton stainers, *Dysdercus* spp. (Hem., Pyrrhocoridae) in the laboratory, A modified geering cage for (J. B. MUTHAMIA) 38(1)75
- (Bruchidae), A note on the occurrence of *Zabrotes subfasciatus* Boh.: Coleoptera, on legumes in Uganda (J. C. DAVIS) ... 37(4)294
- Bush control, A note of caution (G. N. HARRINGTON) ... 39(1)95
- Bush sucker control in Miombo woodland in Zambia (WENDY A. REES) ... 40(1)44
- Bushbuck, reedbuck and Uganda kob, The effect of heat stress and water deprivation on the environmental physiology of the (A. SCHOEN) ... 37(1)1
- Cage, A modified Geering, for breeding cotton stainers (*Dysdercus* spp. (Hem., Pyrrhocoridae)) in the laboratory (J. B. MUTHAMIA) 38(1)75
- Calcium intake and excretion of Zebu cattle used for digestibility trials (B. MARSHALL and M. I. E. LONG) ... 37(1)46
- Cane white sugar scales (*Aulacaspis* spp.) (Diaspididae, Hemiptera) in East Africa with notes on their natural enemies (D. J. GREATHEAD) ... 36(2)70
- Carcass, The effects of Hexeostrol implantation on analysis, energy balance and nitrogen retention of cattle (A. ROGERSON and H. P. LEDGER) ... 36(2)177
- Card, A punch method for the identification of East African grasses based on vegetative characters (M. D. GWYNNE and S. M. NDAWULA-SENYIMBA) ... 36(4)334
- Cash restrictions on the choice of small-holder farming systems, The effect of short-term (J. P. G. WEBSTER) ... 37(4)331
- Cassava (*Manihot esculenta* Grantz), The effects of spacing on growth, development and yield of single and multi-shoot plants of
- I. Root tuber yield and yield attributes ... 38(1)23
- II. Physiological factors (B. A. C. ENYI) ... 38(1)27
- Cation content of nutrient supply on yield of pyrethrum (*Chrysanthemum cinerariaefolium*), Effect of acidity and (A. PINKERTON) 37(1)87
- Cattle—
- and sheep ranch, Management and utilization of Thomson's Gazelles, in the Kenya highlands, on a (H. HVIDBERG-HANSEN) ... 36(4)328
- Effect of yarding at night without supplementary feeding on the growth of Zebu heifers (M. L. KYOMO, H. G. HUTCHINSON and I. SALEHE) ... 37(4)279
- fattening rations, Utilization of coffee hulls in (H. P. LEDGER and A. D. TILMAN) ... 37(3)234
- Food intake and energy utilization by (A. ROGERSON) ... 36(2)195
- in Serere and Kyoga counties of Uganda, The incidence of *Haematoxenus veliferus* Uilenberg 1964 in (A. K. OTENG and G. M. ODEKE) ... 37(3)211
- Mpwapwa, Milk composition and yield characteristics of (G. H. KIWUWA and M. L. KYOMO) ... 36(3)290
- production during the dry seasons in Uganda, Application of nitrogen and irrigation to pasture to enhance (E. R. TIHARUHONDI, F. J. OLSEN and R. S. MUSANGI) ... 38(4)383
- stallfeeding experiments with beef, in Southern Malawi (A. T. SPURLING and D. SPURLING) ... 38(1)70
- the effect of a block treatment regimen, using Ethidium on trypanosomiasis in an endemic area (P. M. MWAMBU) ... 36(3)413
- The effects of non-genetic factors on dairy performance in East Africa:—
- I. A fixed model procedure for season and parity influences ... 38(3)252
- II. Testing for season and parity effects ... 38(3)262
- III. Estimation of the seasonal and parity differences (G. H. KIWUWA) 38(3)273
- The estimation of liveweight from heart girth within specified age/sex groups of Kenya range (D. L. YOUNG) ... 38(2)193
- Ceratitis capitata* wied., the Mediterranean fruit fly: Laboratory investigations of its reproductive behaviour in *Coffea arabica* in Kenya (R. O. ABASA) ... 37(2)181
- Cenchrus ciliaris* L. at Kongwa, Tanzania, Influence of farm yard manure and nitrogen fertilizers on sown pastures, seed yield and quality of (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) ... 38(4)367
- Cereals grown on soils derived from volcanic rocks in Uganda, Fertilizer recommendations for (H. L. FOSTER) ... 38(3)303
- Character(s), vegetative, A punch card method for the identification of East African grasses based (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) ... 36(3)334
- Characteristics, milk composition and yield of Mpwapwa cattle (G. H. KIWUWA and M. L. KYOMO) ... 36(3)290
- Charops* sp. (Hymenoptera, Ichneumonidae) a larval parasite of *orgyia mixta* sneu (J. MIGUNDA) ... 36(4)231
- Chemical and microbiological studies on Congolese palm wines (*Elaeis guineensis*) (W. VAN PEE and J. C. SWINGS) ... 36(3)311
- Chemical composition and yield,
- II. Digestibility and feed intake investigations at different stages of growth of *Brachiaria ruziziensis*, *Chloris gayana*

- and *Setaria sphacelata* using corriedale wether sheep (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) . . . 37(4)267
- Chemicals, Mistblower of, to control bush in rangeland (G. W. IVENS) . . . 37(2)171
- Chemical content of, A note on some East African grasses (R. TAERUM) . . . 36(2)171
- Chick and pig tests of a sample from *Citharinus citarus*, Lake Rudolf fishmeal (B. LAKSESVELA, H. BERGH and J. HAUG) . . . 37(1)38
- Chloris gayana* and *Setaria sphacelata*, Digestibility and feed intake investigations at different stages of growth of *Brachiaria ruziziensis*, and *Setaria sphacelata* using corriedale wether sheep:
- I. Digestibility and voluntary intake . . 37(2)125
 - II. Chemical composition and yield (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(4)267
- Chloris gayana* Kunth./*Desmodium uncinatum* Jcq. mixture in *Hyparrhenia* grassland (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) . . . 37(4)286
- Chrysanthemum cinerariaefolium*, Effect of acidity and cation, content of nutrient supply on yield of pyrethrum (A. PINKERTON) 37(1)87
- Cintharinus citarus* chick and pig tests of a sample from, Lake Rudolf fishmeal (B. LAKSESVELA, H. BERGH and J. HAUG) . . 37(1)38
- Citrus root nematode *Tylenchulus semipenetrans*, from Tanzania with notes on its known distribution in Kenya, The (D. P. TAYLOR and B. W. NGUNDO) . . . 38(4)407
- Coastal soils, Some observations on (J. MAKIN) 36(1)124
- Coccinellids (*Cryptolaemus montrouzieri* Muls. and *Radolia cardinalis* Muls.), The rediscovery in Kenya of two introduced (D. J. GREATHEAD) . . . 38(2)214
- Cocoa diseases in Uganda, A survey of (S. MATOVU) . . . 38(3)218
- Coffea arabica* cultivars, variations in the level of *Colletotrichum coffeanum* Noack. in the bark of (S. K. MULINGE) . . . 36(3)227
- Coffea arabica* in Kenya, *Fusarium solani* associated with a wilt of (CELIA J. BAKER) . . 38(2)137
- Coffea arabica*, a note on the seasonal variations in starch content of different parts of trees (R. Z. PATEL) . . . 36(1)1
- Coffee growing areas in Kenya, grain and Mulch production from maize in: Effects of spacing, fertilizer application and variety (A. M. KABAARA and S. B. KIMEU) . . . 38(4)334
- Coffee hulls, utilization of, in cattle fattening rations (H. P. LEDGER and A. D. TILLMAN) 37(3)234
- Coffee plant mulching materials, Automated methods for nitrogen, phosphorus and potassium determination in (B. S. KIMEU and E. A. ADUAYI) . . . 38(2)207
- Coffea robusta*, The yeast flora of fermenting (W. VAN PEE and J. CATELEIN) . . . 36(3)308
- Coffee seedlings, Arabica, observations of the water culture technique for studying the effects of copper concentrations on (E. A. ADUAYI) . . . 38(1)62
- Coffee seedlings grown in nutrient solutions, Effects of cuprous oxide (copper) on the growth and mineral composition of (E. A. ADUAYI) . . . 37(3)185
- Coffee spraying, Modifications of a hydraulic sprayer (Hardi) for improved (J. L. PEREIRA) 37(4)318
- Coffee: The praying mantis (*Sphodromantis* sp.) as a predator of the giant looper, *Ascotis selenaria reciprocata* Walk., in Kenya, Laboratory evaluation (R. O. ABASA and W. M. MATHENGU) . . . 37(2)177
- Coleoptera (Bruchidae), A note on the occurrence of *Zabrotes subfasciatus* Boh., on legumes in Uganda (J. C. DAVIES) . . . 37(4)294
- Colletotrichum coffeanum* Noack. Variations in the level of, in the bark of *Coffea arabica* cultivars (S. K. MULINGE) . . . 36(2)227
- Comparative shoot and root growth studies on six grasses in Kenya (R. TAERUM) . . 36(1)94
- Comparison of Ayrshire + Sahiwal cows with high grade Ayrshires in Kenya (D. KIMENYE) 40(4)416
- Comparisons of soil analytical methods (J. F. OSBORNE) . . . 39(3)265
- Composition, milk and yield characteristics of Mpwapwa cattle (G. H. KIWUWA and M. L. KYOMO) . . . 36(3)290
- Composition, chemical and yield,
- II. Digestibility and feed intake investigations at different stages of growth of *Brachiaria ruziziensis*, *Chloris gayana* and *Setaria sphacelata* using corriedale wether sheep (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) . . . 37(4)267
- Congolese palm wines (*Elaeis guineensis*) Chemical and microbiological studies on (W. VAN PEE and J. C. SWINGS) . . . 36(3)311
- Content—
- Chemical of, a note on some East African grasses (R. TAERUM) . . . 36(2)171
- starch, a note on the seasonal variations in, of different parts of arabica coffee trees (R. Z. PATEL) . . . 36(1)1
- the flourine and food value of Kenya lake fish (H. BERG and J. HAUG) . . . 36(4)392
- Control—
- field, of Dothistroma Blight of *pinus radiata* using copper fungicide sprays (I. A. S. GIBSON) . . . 36(2)247
- of Dothistroma Blight of pines, the action of copper fungicides in, the— a pilot study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) . . . 36(1)139
- Mistblower application of chemicals to, bush in rangeland (G. W. IVENS) . . . 37(2)156
- notes on and biology of *Heliothis armigera* (Hub) on pigeon pea in Uganda (C. S. KOEHLER and K. O. RACHIE) . . . 36(3)296
- Pinus* sp. (Homoptera: Adelgidae) in East Africa, Insecticidal (J. A. ODERA) 37(4)308
- Copper—
- concentrations on Arabica coffee seedlings. Observations on the water culture technique for studying the effects of (E. A. ADUAYI) . . . 38(1)62

- deficient soil, The effect of nitrogen, phosphorus and copper on grain yield of wheat on a (W. W. WAPAKALA) .. 38(2)229
- deficiency symptoms of some field crops, A note on (W. W. WAPAKALA) .. 38(2)211
- fungicide sprays field control *Dothistroma* Blight of *Pinus radiata* using (I. A. S. GIBSON) .. 36(3)247
- Fungicides the action of in the control of *Dothistroma* Blight of Pines—a pilot study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) .. 36(1)139
- The effect of nitrogen, phosphorus and, on grain yield of wheat on a copper deficient soil (W. W. WAPAKALA) .. 38(3)229
- correlations, strength variations and in East African exotic pines and their effect on engineering properties (D. N. PATERSON and P. A. CAMPBELL) .. 36(1)7
- loss of pyrethrum aerial sprays against *Glossina swynnertoni* Aust. in savannah woodland, An attempt to reduce the (C. S. TARIMO, J. D. PAKER and J. M. KAHUMBURA) 38(1)47
- otton—
- farms in Kenya 1968–1971, fertilizer experiments on small (S. TVEITNES and O. NYAAS-AAKERBAKKEN) .. 38(3)282
- germination in relation to hydration regimes (N. A. NDEGWE and T. R. MILBURN) .. 39(4)368
- seed meal in the feeding of growing pigs (B. M. BAUSTAD) .. 40(1)96
- (*Gossypium hirsutum*), Plant hairiness in Allen (N. L. INNES and L. N. BUS-SULWA) .. 38(3)298
- Stainers, *Dysdercus* spp. (Hem., Pyrrhocoridae) in the laboratory, A modified Geering cage for breeding (J. B. MUTHAMIA) .. 38(1)75
- ourgette leaf distortion incited by watermelon mosaic virus. Notes on East African plant virus diseases (W. BAKKER) .. 37(1)78
- owpea effects of attack by *Melanagromyza chalcosoma* spencer. On germination and development of (C. S. KOEHLER and P. N. MEHTA) .. 36(1)83
- owpea mosaic virus, notes on East African plant virus diseases I (K. R. BOCK) .. 37(1)60
- ows, dairy, Some aspects of supplementary feeding of, in the Lake Crescent area of Uganda (R. H. HIPPS) .. 36(2)182
- rabs, Some preliminary results of trap-fishing trails for (J. R. HEATH) .. 37(2)142
- rops, A note on copper deficiency symptoms on some field (W. W. WAPAKALA) .. 38(2)211
- rop loss in maize and sorghum, The relation between simulated armyworm damage and (E. S. BROWN and A. K. MOHAMED) .. 37(3)237
- rops in Tanzania, Some newly recorded diseases of minor horticultural (D. J. ALLEN) 37(1)22
- rop(s) response to single superphosphate in Uganda using pot tests (H. L. FOSTER) .. 36(2)202
- rop(s), Soyabeans as a potentially valuable, for agricultural diversification in Central Uganda (C. L. A. LEAKEY and P. R. RUBAIHAYO) .. 36(1)39
- Crop yields after different elephant grass ley treatments at Kawanda Research Station, Uganda (H. L. FOSTER) .. 37(1)63
- Crossbred steers at Kongwa, Tanzania, Studies on water consumption, night grazing and growth of boran and (P. M. WIGG and M. A. OWEN) .. 38(4)361
- Crude protein, content of samples obtained from a tropical range pasture using oesophageal fistulated steers, season (E. A. A. DRADU and G. N. HARRINGTON) .. 38(1)56
- Cryptolaemus montrouzier* Muls. and *Rodolia cardinalis* Muls., The rediscovery in Kenya of two introduced coccinellids (D. J. GREATHEAD) .. 38(2)214
- Cultivated soils continuously liming in Uganda (H. L. FOSTER) .. 36(1)58
- Cultivation and establishment of *Pinus kesiya* in Zambia, Clean (F. ENDEAN and B. E. JONES) .. 38(2)120
- Cultivation on the fertility of some Ferralsols, Some soil fertility problems in the West Lake Region of Tanzania, including the effects of different forms of (J. P. MOBERG) .. 38(1)35
- Culture technique for studying the effects of copper concentrations on Arabica coffee seedlings, Observations of the water (E. A. ADUAYI) .. 38(1)62
- Cuprous oxide (copper) on the growth and mineral composition of coffee seedlings grown in nutrient solutions (E. A. ADUAYI) 37(3)185
- Cutting—
- frequency and cutting height on four naturally occurring pasture grasses in Tanzania, The effects of (E. G. VAN VOORTHUIZEN) .. 37(3)258
- Height, The effects of cutting frequencies and, on four naturally occurring pasture grasses in Tanzania (E. G. VAN VOORTHUIZEN) .. 37(3)258
- Cutting, A technique for rooting, of *Pinus radiata* in Kenya (M. H. IVORY) .. 36(4)355
- Cycle, The biology and life, of *Gonometa podocarpi* Aur. (Lepidoptera, Lasiocampidae) a defoliator of exotic soft wood in East Africa at Muko Kigezi district in Uganda (O. AUSTARA) .. 36(3)275
- Cylindrocarpon* root-rot of tea in Kenya (J. M. KORI and J. J. ONDIEKI) .. 37(3)212
- Cynodon* L. C. Rich (Gramineae), Geographic distribution of the species of (J. R. HARLAN, J. M. J. DEWET and K. M. RAWAL) .. 36(2)220
- Dairy cattle performance in East Africa, The effects of non-genetic factors on:—
- I. a fixed model procedure for season and parity influences .. 38(3)252
- II. testing for season and parity effects .. 38(3)262
- III. estimation of the seasonal and parity differences (G. H. KIWUWA) .. 38(3)273
- Dairy cows, Some aspects of supplementary feeding in the Lake Crescent area of Uganda (R. H. HIPPS) .. 36(2)182

- Dairying in Zambia;—
 I. Reasons for the disposal of Dairy cows (G. IGBOELI) 39(2)136
 II. Reproductive efficiency in relation to season and parity in dairy cows (G. IGBOELI) 39(2)189
 Deficiency symptoms of some field crops, A note on copper (W. W. WAPAKALA) . . . 38(2)211
- Defoliator(s)—
Gonometa podocarp Aur. (Lepidoptera. Lasiocampidae) of exotic softwoods in East Africa. The biology and life cycle at Muko Kigezi district of Uganda (O. AUSTARA) 36(3)275
 lepidopterous of exotic softwoods in East Africa, Host list and distribution of (O. AUSTARA and T. JONES) . . . 36(4)401
Orgyia mixta snell (Lepidoptera. Lymantriidae) of exotic softwoods in Kenya (O. AUSTARA and J. MIGUNDA) . . . 36(3)298
 Defoliation, artificial, The effect of, on the growth of *Pinus patula* in East Africa (O. AUSTARA) 36(1)114
 Defoliation at flag leaf stage and time of anthesis on yield of sorghum, Effects of (B. A. C. ENYI) 38(4)410
- Desmodium intortum*—
Medicago sativa and *Stylosanthes gracilis*, The effect of phosphate and lime on the establishment, productivity, nodulation and persistence of (F. J. OLSEN and P. G. MOE) 37(1)29
 at Serere Uganda, Effects of inoculations and fertilizers on (W. D. WENDT) . . 36(4)317
- Desmodium uncinatum*—
 Jacq. mixture in *Hyparrhenia* grassland, Comparison of seed beds for over-sowing a *Chloris gayana* Kunth./ (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) 37(4)286
 The contribution of, to the yield of *Setaria sphacelata* (D. M. THAIRU) 37(3)215
 Determination in coffee plant and mulching materials, Automated methods for nitrogen, phosphorus and potassium (B. S. KIMEU and E. A. ADUAYI) 38(2)207
 Development and yield of single and multi-shoot plants of cassava (*Manihot esculenta* Grantz), The effects of spacing on growth:—
 I. root tuber yield and yield attributes . . 38(1)23
 II. physiological factors (B. A. ENYI) . . 38(1)27
 Development economic of the livestock industry of Sukumaland, Tanzania. The pathogenic importance of gastro-intestinal nematodes for sheep and goats in relation to the need for (B. McCULLOCH and S. KASIMBALA) 36(1)20
 Development of cowpea and germination effects of attack of *Melanagromyza chalcospa* spencer. on (C. S. KOEHLER and P. N. MEHTA) 36(1)83
 Dietary urea *Bos indicus* (Boran) and *Bos*
- taurus* (hereford) steers, Metabolism of (C. N. KARUE, J. L. EVANS and A. D. TILLMAN) 38(1)
- Digestibility—
 and feed intake investigations at different stages of growth in *Brachiaria ruziziensis*, *Chloris gayana* and *Setaria sphacelata*, using corriedale wether sheep:—
 I. Digestibility and voluntary intake . . 37(2)
 II. Chemical composition and yield (V. S. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(4)2
In-vivo, and nutritive value of Kikuyu grass, *Pennisetum clandestinum*, with a tentative assessment of its yield of nutrients (A. N. SAID) 37(1)
 trials, Calcium intake and excretion of Zebu cattle used for (B. MARSHALL and M. I. E. LONG) 37(1)
 Digestion and renal function in East African goats and haired sheep (G. M. O. MALOIJ) 40(2)1
 Dikdik, studies on the environmental physiology of a semi-desert antelope, The (A. SCHOEN) 37(4)3
- Disease(s)—
 and pests in East Africa, A survey of sugar cane (P. R. ROGERS and M. N. SIMBWA-BUNYA) 38(2)1
 in Uganda, A survey of cocoa (S. MATOVU) 38(3)2
 of minor horticultural crops in Tanzania, Some newly recorded (D. J. ALLEN) . . 37(1)
 of potential importance in East Africa (P. F. ROGERS) 37(1)
 Virus, Notes on East African plant, courgette leaf distortion incited by watermelon mosaic (W. BAKKER) . . 37(1)
 Zebra, of *Agave* hybrid No. 11648, host range studies on the pathogen of, *Phytophthora nicotianae* (D. J. ALLEN) 36(1)1
- Distribution—
 and host list of lepidopterous defoliators of exotic softwoods in East Africa (O. AUSTARA and T. JONES) 36(4)40
 Geographic of the species of cynodon L.C. Rich (Gramineae) (J. R. HARLAN, J. M. J. DE WET and K. M. RAWAL) . . 36(2)22
 Diversification, agricultural, in Central Uganda, Soyabeans as a potentially valuable crop for (C. L. A. LEAKEY and P. R. RUBAIHAYO) 36(1)3
- Dothistroma Blight—
 of pines, The action of copper fungicides in the control of—a pilot study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) 36(1)13
 of *Pinus radiata*, field control of, using copper fungicide sprays (I. A. S. GIBSON) 36(3)24
 Dynamics, Population of *Acanthomia* spp. (Hemiptera. Corridae) on beans and pigeon

- peas in the Arusha area of Tanzania (M. E. A. MATERU) .. 36(4)361
- Dysdercus* spp. (Hem., Pyrrhocoridae), a modified geering cage for breeding stainers, in the laboratory (J. B. MUTHAMIA) .. 38(1)75
- East Africa(n)—
- A survey of sugar cane disease and pests in (P. F. ROGERS and M. N. SIMBWA-BUUNYA) .. 38(2)162
- exotic pines, Strength variations and correlations in, and their effect on engineering properties (D. N. PATERSON and P. A. CAMPBELL) .. 36(1)1
- Gonometa podocarpi* Aur. (Lepidoptera: Lasiocampidae) a defoliator of exotic softwoods in, The biology and life cycle of, at Muko, Kigezi district of Uganda (O. AUSTARA) .. 36(3)275
- grasses, A punch card method for the identification of, based on vegetative characters (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) .. 36(4)334
- grasses, A note on chemical content of some (R. TAERUM) .. 36(2)171
- Host list and distribution of lepidopterous defoliators of exotic softwoods in (O. AUSTARA and T. JONES) .. 36(4)401
- Insecticidal control of *Pineus* sp. (Homoptera: Adelgidae) in (J. A. ODERA) .. 37(4)308
- plant virus diseases, notes on courgette leaf distortion incited by watermelon mosaic virus (W. BAKKER) .. 37(1)78
- plant virus diseases, Notes on, I. Cowpea mosaic virus (K. R. BOCK) .. 37(1)60
- sugar cane diseases of potential importance in (P. F. ROGERS) .. 37(1)93
- Test of insecticides against *Pineus* spp. in (K. W. BROWN) .. 36(2)200
- The effect of artificial defoliation on the growth of *Pinus patula* in (O. AUSTARA) .. 36(1)114
- white sugar cane scales (*Aulacaspis* spp.) (Diaspididae Hemiptera) in, with notes on (D. GREATHEAD) .. 36(1)70
- Ecology of *Themeda triandra*, Some aspects of (M. S. NDAWULA-SENYIMBA) .. 38(1)83
- Economic analysis of fertilizer trials conducted in Kenya on maize (Y. RAO VADLAMUDI and H. U. THIMM) .. 40(2)189
- Economic development of the livestock industry of Sukumaland, Tanzania, The pathogenic importance of gastro-intestinal nematodes for sheep and goats in relation to the need for (B. McCULLOCH and S. KASIMBALA) .. 36(1)20
- Economic importance of nipple numbers in swine at the University of Ibadan, Nigeria, The heritability and the (J. A. OLUYEMI and EBUN BABATOLA) .. 38(2)215
- Effect(s)—
- of artificial defoliation on the growth of *Pinus patula* in East Africa, The (O. AUSTARA) .. 36(1)114
- of a block treatment regimen using Ethidium, on cattle trypanosomiasis in an endemic area (P. M. MWAMBU) .. 36(4)413
- of attack by *Melanogromyza chalcosoma* spenser on germination and development of cowpea (C. S. KOEHLER and P. N. MEHTA) .. 36(1)83
- of autopoloidy of grain sorghum (B. N. MAJISU) .. 36(3)235
- of copper concentrations on Arabica coffee seedlings, Observations of the water culture technique for studying the (E. A. ADUAYI) .. 38(1)62
- of cuprous oxide (copper) on the growth and mineral composition of coffee seedlings grown in nutrient solutions (E. A. ADUAYI) .. 37(3)185
- of cutting frequency and cutting height on four naturally occurring pasture grasses in Tanzania, The (E. G. VAN VOORTHUIZEN) .. 37(3)258
- of cutting frequency on productivity of Napier and Guatemala grasses in Western Kenya (E. MWAKHA) .. 37(3)206
- of defoliation at flag leaf stage and time of anthesis on yield of sorghum (B. A. C. ENYI) .. 38(4)410
- of defoliation on grain yield and other characters of sorghum (TADALE GEBNE SELASSIE) .. 40(4)337
- of different forms of cultivation on the fertility of some Ferralsols, Some soil fertility problems in the West Lake Region of Tanzania, including the (J. P. Moberg) .. 38(1)35
- of fertilization and cutting management on yield and botanical composition of permanent pasture (F. OLSEN) .. 39(4)391
- of foliar spraying of *Acacia hockii* de wild. with picloram and 2, 4-D/picloram mixtures and additional treatment with picloram granules, The (G. N. HARRINGTON) .. 37(3)197
- of heat stress and water deprivation on the environmental physiology of the bushbuck, the reedbuck and the Uganda kob, The (A. SCHOEN) .. 37(1)1
- of Hexeostrial implantation on carcass analysis, energy balance and nitrogen retention of cattle (A. ROGERSON and H. P. LEDGER) .. 36(2)177
- of inoculation and fertilizers on *Desmodium intortum* at Serere, Uganda (W. B. WENDT) .. 36(4)317
- of lime on herbage production and chemical composition "*Cynodon* 1B.8" and on some chemical properties of the soil (M. A. MOHAMED SALEEM, H. R. CHHEDA and L. V. CROWDER) .. 40(3)217
- of nitrogen, phosphorus and copper on grain yield of wheat on a copper deficient soil, The (W. W. WAPAKALA) .. 38(3)229
- of non-genetic factors on dairy cattle performance in East Africa, The:—
- I. a fixed model procedure for season and parity influence .. 38(3)252

II. testing for season and parity effects	38(3)262
III. estimation of the seasonal and parity differences (G. H. KIWUWA)	38(3)273
of protein levels on nutritive values of soyabean meals fed to growing chicks (M. S. NJIKE, A. U. MBA and V. A. OYENUGA)	40(4)366
of puberulent genotype on oil, protein and sugar content of soyabean seed (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ)	38(2)175
of short-term cash restrictions on the choice of smallholder farming systems, The (J. P. G. WEBSTER)	37(4)331
of spacing, fertilizer application and variety, Grain and mulch productions from maize in coffee growing areas of Kenya (A. M. KABAARA and B. S. KIMEU)	38(4)334
of spacing on growth, development and yield of single and multi-shoot plants of cassava (<i>Manihot esculenta</i> Grantz)— I. root tuber yield and yield attributes	38(1)23
II. physiological factors (B. A. C. ENYI)	38(1)27
of yarding cattle at night without supplementary feeding on the growth of Zebu heifers (M. L. KYOMO, H. G. HUTCHINSON and I. SALEHE)	37(4)279
on engineering properties, strength variations and correlations in East African exotic pines (D. N. PATERSON and P. A. CAMPBELL)	36(1)7
<i>Elaeis guineensis</i> , Congolese Palm wines, Chemical and microbiological studies on (W. VAN PEE and J. C. SWINGS)	36(3)311
Endemic area, The effect of a block treatment regimen using Ethidium on cattle trypanosomiasis in (P. M. MWAMBU)	36(4)414
Endosulfan, Toxicity of technical, applied topically to <i>Acanthomia</i> spp. (Correidae, Hemiptera) (M. E. A. MATERU and R. A. MAKUSI)	37(4)313
Enemies natural, White sugar cane scales (<i>Aulacaspis</i> spp.) (Diaspidae, Hemiptera) in East Africa, with notes on their (D. J. GREATHEAD)	36(1)70
Energy balance, Effects of Hexoestral implantation on carcass analysis, and nitrogen retention of cattle (A. ROGERSON and H. P. LEDGER)	36(2)177
Energy utilization and food intake by cattle (A. ROGERSON)	36(2)195
Engineering properties, Strength variations and correlations in East African exotic pines and their effect on (D. N. PATERSON and P. A. CAMPBELL)	36(1)7
English Jerseys in Uganda, The performance of imported (R. H. HIPPS)	38(4)329
<i>Ensete</i> spp., The germination and seedling development of (T. BEZUNEH)	37(2)156
<i>Entolasia imbricata</i> stapf., Germination depth of Bungoma grass (E. MWAKHA)	37(1)26
Environments, The yield stability of sorghum varieties and hybrids in (B. N. MAJISU and	

H. H. DOGGETT)	38(2)1
<i>Ephestia cautella</i> (walker), Activity of two juvenile hormone analogues with <i>Heliothis armigera</i> (Hubner) <i>Sitophilus zeamias</i> Motshulsky and (W. R. BRANSBY WILLIAMS)	38(2)1
Equipment, Rapid routine soil and plant analysis without automatic. I. Routine soil analysis (H. L. FOSTER)	37(2)1
Equipment, Rapid routine soils and plant analysis without automatic. II. Routine plant analysis (H. L. FOSTER)	38(2)1
Establishment of desirable grass/legume mixtures in unimproved grassland by planting root splits, The (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY)	37(3)28
Estimation of the liveweight from heart girth within specified age/sex groups of Kenya range cattle, The (D. L. YOUNG)	38(2)19
Estimation of the effects of season and parity on cumulative and part lactation milk yield of dairy cattle in East Africa (G. H. KIWUWA)	39(2)20
Etiology of root rot in vanilla (<i>Vanilla fragrans</i> salisb.) (Ame) in Uganda, The role of fungi and cultural factors in (C. L. A. LEAKEY)	36(2)20
Ethidium, The effect of a block treatment regimen using on cattle trypanosomiasis in an endemic area (P. M. MWAMBU)	36(4)41
<i>Eucalyptus grandis</i> (Hill), Maiden in a fertilizer trial at Siamambo, Zambia, wood quality of (A. S. HANS and J. BURLEY)	38(2)19
<i>Eucalyptus</i> in the Southern Province on Zambia, The importance of Boron and NPK fertilizers to (E. N. COOLING and B. E. JONES)	36(2)18
Evaluation and utilization of pigeon pea germplasm in Uganda, preliminary (T. N. KHAN and K. O. RACHIE)	38(1)7
Evaluation of soil test methods for the estimation of available phosphorus in some Tanzanian soils, A greenhouse study (S. S. NANDRA)	40(1)2
Evaluation quality of four widely distributed native grasses in Tanzania, a (E. G. VAN VOORTHUIZEN)	36(4)38
Exotic—	
pines East African strength variations and correlations in and their effect on engineering properties (D. N. PATERSON and P. A. CAMPBELL)	36(1)7
softwoods in East Africa <i>Gonometa podocarpi</i> Aur. (Lepidoptera, Lasio-campidae) a defoliator of the biology and the life cycle at Muko Kigezi district in Uganda (O. AUSTARA)	36(3)27
softwoods in East Africa host list and distribution of lepidopterous defoliators of (O. AUSTARA and T. JONES)	36(4)40
softwoods in Kenya <i>Orgyia mixta</i> Snell (Lepidoptera, Lymantriidae) a defoliator of (O. AUSTARA and J. MIGUNDA)	36(3)27

Experiment(s)—

- a note on a spacing and nitrogen fertilizer with pawpaw (P. J. NORTHWOOD) .. 36(1)45
- fertilizer, on small cotton farms in Kenya 1968–1971 (S. TVEITNES and O. NYAAS-AKERBAKKEN) .. 38(3)282
- with boron fertilizer applied to maize in Zambia (O. HONISCH) .. 40(2)145
- on growing eucalyptus, wood fuel in the semi-deciduous forest zone in Kenya (W. G. DYSON) .. 39(4)349
- Factors, The role of fungi and cultural, in the etiology of root rot of vanilla (*Vanilla fragrans*) (Salisb.) (Ames) in Uganda (C. L. A. LEAKEY) .. 36(2)207
- Farming systems, The effect of short-term cash restrictions on the choice of smallholder (J. P. G. WEBSTER) .. 37(3)331
- Farms, fertilizer experiments on small cotton farms, in Kenya (S. TVEITNES and O. NYAAS-AKERBAKKEN) .. 38(3)282
- Feed intake investigations at different stages of growth *Brachiaria ruziziensis*, *Chloris gayana* and *Setaria sphacelata* using corriedale wether sheep, Digestibility and II. Chemical composition and yield (S. F. SONEJI, R. S. MUSANGI and F. J. OLSEN) .. 37(4)267
- Feeding on the growth of Zebu cattle, Effect of yarding cattle at night without supplementary (M. L. KYOMO, H. G. HUTCHINSON and I. SALEHE) .. 37(4)279
- Feeding supplementary some aspects of in the Lake Crescent area of Uganda dairy cows (R. H. PHIPPS) .. 36(2)234
- Fermenting the Yeast flora of Robusta coffee (W. VAN PEE and J. CASTELERN) .. 36(2)308
- Ferralsols, some soil fertility problems in the West Lake Region of Tanzania, including the effects of different forms of cultivation on the fertility of some (J. P. MOBERG) .. 38(1)35
- ## Fertilizer(s)—
- a note on a spacing and nitrogen experiment with pawpaw (P. J. NORTHWOOD) .. 36(1)45
- response to wheat in Kenya (J. F. SEITZER, N. J. BUTT and H. A. MULAMULA) .. 36(1)131
- application and variety, effects of spacing, Grain mulch production from maize in coffee growing areas of Kenya (A. M. KABAARA and B. S. KIMEU) .. 38(4)334
- effect of inoculation and on *Desmodium intortum* at Serere Uganda (W. B. WENDT) .. 36(4)317
- experiments on small cotton farms in Kenya 1968–1971 (S. TVEITNES and O. NYAAS-AKERBAKKEN) .. 38(3)282
- nitrogen, on some pasture, seed yield and quality of *Cenchrus ciliaris* L. at Kongwa, Tanzania, Influence of farmyard manure and (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) .. 38(4)367
- recommendations for cereals grown on soils derived from volcanic rocks in Uganda (H. L. FOSTER) .. 38(3)303
- response to wheat in Kenya (J. F. SEITZER,

- M. J. BUTT and H. A. MULAMULA) .. 36(1)131
- the importance of Boron and NPK to *Eucalyptus* in the Southern Province Zambia (E. N. COOLING and B. E. JONES) .. 36(2)185
- the long-term effects of, farmyard manure and leys at Mwanhala, Western Tanzania (M. A. SCAIFE) .. 37(1)8

Fertility—

- of some Ferralsols, some soil fertility problems in the West Lake Region of Tanzania, including the effects of different forms of cultivation on the (J. P. MOBERG) .. 38(1)35

Field—

- evaluation of glyphosate, asulam and dalapon on African couch grass (*Digitaria scalarum*) (P. J. TERRY) .. 39(4)386
- control of Dothistroma Blight of *Pinus radiata* using copper fungicide sprays (I. A. S. GIBSON) .. 36(3)247
- Fire-cured tobacco in Uganda, fertilizer trials on (H. L. FOSTER) .. 38(4)394
- First record of *Phytometra orichakae* (F) (*Lepidoptera:Noctuidae*) feeding on coffee foliage (R. BARDNER and W. M. MATHENGE) .. 40(2)214
- Fish Kenya lake flourine content and food value of (H. BERGH and J. HAUG) .. 36(4)392
- Fishmeal, Lake Rudolf, chick and pig tests for a sample from *Citharinus citarus* (B. LAKSESVELA, H. BERGH and J. HAUG) .. 37(1)38
- Fistulated steers, oesophageal, Seasonal crude protein content of samples obtained from a tropical range pasture using (E. A. A. DRADU and G. N. HARRINGTON) .. 38(1)56
- Flora the yeast of fermenting Robusta coffee (W. VAN PEE and J. CASTELEIN) .. 36(3)308
- Flourine content and food value of Kenya lake the (H. BERGH and J. HAUG) .. 36(4)392
- Folia spraying of *Acacia hockii* de wild. with picloram and 2, 4-D/picloram mixtures and additional treatment with picloram granules, The effect of (G. N. HARRINGTON) .. 37(2)197
- Food intake and energy utilization by cattle (A. ROGERSON) .. 36(2)195
- Food value and the Flourine content of Kenya lake fish (H. BERGH and J. HAUG) .. 36(4)392
- Food, The free water intake of impala in relation to the water content of their (P. J. JARMAN) .. 38(4)343
- Fruit fly, Mediterranean, *Ceratitis capitata* Wied. Laboratory investigations of its reproductive behaviour in *Coffea arabica* in Kenya (R. O. ABASA) .. 37(3)181
- Fungi, The role of and cultural factors in the etiology of root rot of vanilla (*Vanilla fragrans* (Salisb.) (Ames) in Uganda (C. L. A. LEAKEY) .. 36(2)207
- Fungicide copper sprays, Field control of Dothistroma Blight of *Pinus radiata* using (I. A. S. GIBSON) .. 36(3)247
- Fungicide copper, The action of in the control of Dothistroma Blight of pines—a pilot

- study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) .. 36(1)139
- Fusarium solani* associated with a wilt of *Coffea arabica* in Kenya (CELIA J. BAKER) .. 38(2)137
- Gastro-intestinal nematodes for sheep and goats the pathogenic importance in relation to the need for the economic development of the livestock industry of Sukumaland Tanzania (B. McCULLOCH and S. KASIMBALA) .. 36(1)20
- Gazelles Thomson's management and utilization of a cattle and sheep ranch in the Kenya Highlands (H. HRIDBERG-HANSEN) .. 36(4)322
- Geering cage for breeding cotton stainers *Dysdercus* spp. (Hem., Pyrrhocoridae) in the laboratory, A modified (J. B. MUTHAMIA) .. 38(1)75
- Genetic male-sterility in tetraploid sorghum improvement (B. N. MAJISU) .. 36(3)243
- Genetic-non factors on dairy cattle in East Africa, The effects of:—
 I. a fixed model procedure for season and parity influences .. 38(3)252
 II. testing for season and parity effects .. 38(2)262
 III. estimation of the seasonal and parity differences (G. H. KIWUWA) .. 38(3)273
- Genotype by environment interactions in maize in Eastern Africa (S. A. EBERHART, L. H. PENNY and M. N. HARRISON) .. 39(1)61
- Genotype on oil, protein and sugar content of soyabean seed, Effect of puberulent (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ) .. 38(2)175
- Geographical distribution of the species of *Cynodon* L.C. Rich. (Graminae) (J. R. HARLAN, J. M. J. DEWER and K. M. RAWAL) .. 36(2)220
- Germination and development of cowpea, Effects of attack by *Melanagromyza chalcosoma* spence on (C. S. KOEHLER and P. N. MEHTA) .. 36(1)83
- Germination and growth of coconut seedlings in Tanzania as affected by different mulching materials in the nursery (K. M. THOMAS) .. 40(4)422
- Germination and seedling development of *Ensete* spp., The (T. BEZUNEH) .. 37(2)156
- Germination depth of Bungoma grass *Entolasia imbricata* stapf (E. MWAKHA) .. 37(1)26
- Germination performance of two Ugandan cottons in relation to climatic conditions at harvesting, variety and some agronomic practices (N. A. NDEGWE and T. R. MILBURN) .. 39(4)356
- Germ-plasm, Evaluation and utilization of sorghum (B. N. MAJISU) .. 37(2)129
- Germ-plasm, Preliminary evaluation and utilization of pigeon pea, in Uganda (T. N. KHAN and K. O. RACHIE) .. 38(1)78
- Giant looper *Ascotis selenaria reciprocaria* walk., in Kenya coffee, The praying mantis *Sphodromantis* sp. as a predator of the laboratory evaluation (R. O. ABASA and W. M. MATHENGE) .. 37(2)177
- Glossina swynnertoni* Aust. in savannah woodland, An attempt to reduce the cost of pyrethrum aerial sprays against (C. S. TARIMO, J. D. PAKER and J. M. KAHUMBURA) .. 38(1)47

- Goats and sheep the pathogenic importance of gastro-intestinal nematodes for in relation to the need for economic development of the livestock industry of Sukumaland Tanzania (B. McCULLOCH and S. KASIMBALA) .. 36(1)20
- Gonometta podocarpi* Aur. (Lepidoptera. Lasio-campidae) a defoliator of exotic softwoods in East Africa The biology and life cycle of at Muko Kigezi district in Uganda (O. AUSTARA) .. 36(3)270
- Gossypium hirsutum*, Plant hairiness in Allen cotton (N. L. INNES and L. M. BUSUULWA) .. 38(3)290
- Grain and mulch production from maize in coffee growing areas of Kenya, Effects of spacing, fertilizer application and variety (A. M. KABAARA and B. S. KIMEU) .. 38(4)330
- Grain sorghum, Effects of autopoloidy on (B. N. MAJISU) .. 36(3)230
- Grain yield of wheat on a copper deficient soil, The effect of nitrogen, phosphorus and copper on (W. W. WAPAKALA) .. 38(3)220
- Grass(es)—
 East African, A note on chemical content of some (R. TAERUM) .. 36(2)177
 East African, A punch card method for identification of, based on vegetative characters (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) .. 36(4)330
Entolasia imbricata stapf., Germination depth of Bungoma (E. MWAKHA) .. 37(1)26
 growth root and shoot, A study of on three species in Kenya (R. TAERUM) .. 36(2)150
 Growth root and shoot, Comparative studies on six in Kenya (R. TAERUM) .. 36(1)90
 in Western Kenya, The effect of cutting frequency on productivity of Napier and Guatemala (E. MWAKHA) .. 37(3)200
 legume mixtures in unimproved grassland by plant-root splits, The establishment of desirable (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)280
 Legume grass mixtures under grazing, Observations on some (A. V. BOGDAN and E. MWAKHA) .. 36(1)300
 legume pasture mixtures at different seeding rates, The productivity and botanical composition of some selected (F. J. OLSEN and E. R. TIHARUHONDI) .. 38(1)100
 legume pastures in Western Kenya—
 I. A comparison of the productivity of cut and grazed swards (N. C. O. KEYA) .. 39(3)240
 II. Legume performance at Kitale, Kisii and Kakamega (N. C. O. KEYA) .. 39(3)240
 Ley treatments at Kawanda Research Station, Uganda, crop yields after different elephant (H. L. FOSTER) .. 37(1)60
 nature, A quality evaluation of four widely distributed in Tanzania (E. G. VAN VOORTHUIZEN) .. 36(4)380
 The effects of cutting frequency and cutting height on four naturally occurring pasture, in Tanzania (E. A. VAN VOORTHUIZEN) .. 37(3)250

- comparison of seed beds for oversowing a *Chloris gayana* Kunth./*Desmodium uncinatum* Jacq. mixture in Hyparrhenia N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)286
- of the medium altitudes of Western Kenya, Oversowing improved pasture legumes in natural (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(2)148
- The establishment of desirable grass/legume mixtures in unimproved, by planting root splits (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)286
- Grazing behaviour of exotic dairy cattle in Uganda (J. S. MUGERWA, D. A. CHRISTENSEN and S. OCHETIM) .. 39(1)1
- Grazing, Observations on some grass/legume mixtures under (A. V. BOGDAN and E. MWAKHA) .. 36(1)35
- Ground, A differential thermistor thermometer for measuring temperature gradients in the vicinity of the (D. R. JOHNSTONE) .. 37(4)300
- Groundnuts, Comparison of the yield response of, to single and triple superphosphate in Uganda (H. L. FOSTER) .. 38(2)103
- Groundnut varieties of bacterial wilt (*Pseudomonas solanacearum*) in Uganda, Resistance of (M. SIMBWA-BUNNYA) .. 37(4)341
- Growing wether and steer metabolism of urea nitrogen and adaptation response trends in the (C. N. KARUE, J. L. EVANS and J. G. WELCH) .. 36(1)88
- Growth and mineral composition of coffee seedlings grown in nutrient solutions. Effects of cuprous oxide (copper) on the (E. A. ADUAYI) .. 37(3)185
- Growth of boran and crossbred steers at Kongwa, Tanzania, Studies on water consumption, night grazing and (P. M. WIGG and M. A. OWEN) .. 38(4)361
- Growth development and yield of single and multi-shoot plants of cassava (*Manihot esculenta* Grantz), The effects of spacing on:—
I. root tuber yield and yield attributes .. 38(1)23
II. physiological factors (B. A. ENYI) .. 38(1)27
- Growth of *Pinus patula* in East Africa, The effect of artificial defoliation on the (O. AUSTARA) .. 36(1)114
- Growth, root and shoot, A study of, on three grass species in Kenya (R. TAERUM) .. 36(2)155
- Growth, root and shoot, Comparative studies on six grasses in Kenya (R. TAERUM) .. 36(1)94
- Growth of Zebu heifers, Effect of yarding cattle at night without supplementary feeding on the (M. L. KYOMO, H. G. HUTCHINSON and I. SALEHE) .. 37(4)274
- Growth study of *Oxalis latifolia* H.B.K. (M. A. CHAWDRY) .. 39(4)402
- Grumusol (typic pellustert) in the Kano plains of Kenya, Gypsum as improver of the permeability of (N. N. NYANDAT) .. 38(1)1
- Guatemala grasses in Western Kenya, Effect of cutting frequency on productivity of Napier and (E. MWAKHA) .. 37(3)206
- Guinea sorghums, Origin and evolution of (J. M. J. DE WET, J. R. HARLAND and B. KURMAROHITA) .. 38(2)114
- Gypsum as improver of permeability of grumusol (typic pellustert) in the Kano plains of Kenya (N. N. NYANDAT) .. 38(1)1
- Haematoxenus ueliferus* Vilenberg 1964, The incidence of, in cattle at Serere and Kyoga counties of Uganda (A. K. OTENG and G. M. ODEKE) .. 37(3)211
- Hairiness, Plant, in Allen cotton (*Gossypium hirsutum*) (N. L. INNES and L. N. BUSUULWA) .. 38(3)298
- Halo blight of oats in Kenya (D. E. HARDER and D. C. HARRIS) .. 38(3)241
- Heat stress and water deprivation, The effect of, on the environment physiology of the bushbuck, the reedbuck and the Uganda kob (A. SCHOEN) .. 37(1)1
- Heart girth within specified age/sex groups of Kenya range cattle, The estimation of live weight from (D. L. YOUNG) .. 38(2)193
- Heifers, *Bos indicus*, Synchronization of oestrus and ovulation in using an orally active progestogen (J. S. MACFARLANE and R. SALEKA) .. 36(4)353
- Heifers, Effect of yarding cattle at night without supplementary feeding on the growth of Zebu (M. L. KYOMO, H. HUTCHINSON and I. SALEHE) .. 37(4)279
- Heliothis armigera* (Hub), Notes on the control and biology of on Pigeon pea in Uganda (C. S. KOEHLER and K. O. RACHIE) .. 36(3)296
- Heliothis armigera* (Hubner) *Sitophilus zeamais* Motshulsky and *Ephestia cautella* (walker), Activity of two juvenile hormone analogues with (W. R. BRANSBY-WILLIAMS) .. 38(2)170
- (Hereford) *Bos taurus* steers, Metabolism of dietary urea by *Bos indicus* (Boran) and (C. N. KARUE, J. L. EVANS and A. D. TILLMAN) .. 38(1)74
- Heritability and the economic importance of nipple numbers in swine at the University of Ibadan, Nigeria, The (J. A. OLUYEMI and EBUN BABATOLA) .. 38(3)215
- Hexoestral implantation, The effects on carcass analysis, energy balance and nitrogen retention of cattle (A. ROGERSON and H. P. LEDGER) .. 36(2)177
- Highlands, Kenya, Management and utilization of Thomson's gazelles on a cattle and sheep ranch in (H. HVIDBERG-HANSEN) .. 36(4)322
- Host—
Identification of East African grasses based on vegetative characters, A punch card method of (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) .. 36(4)334
- Implantation, The effects of Hexoestral on carcass analysis energy balance and nitrogen retention of cattle (A. ROGERSON and H. P. LEDGER) .. 36(2)177

- SON and H. P. LEDGER) 36(2)177
- list and distribution of lepidopterous defoliators of exotic softwoods in East Africa. (O. AUSTARA and T. JONES) . . 36(4)401
- range studies on the pathogen of Zebra disease of Agave hybrid No. 11648. *Phytophthora nicotianae* (D. J. ALLEN) . . 36(1)119
- Hormone analogues with *Heliothis armigera* (Hubner) *Sitophilus zeamais* Motshulsky and *Ephestia cautella* (walker), Activity of two juvenile (W. R. BRANSBY-WILLIAMS) . . 38(2)170
- Hybrids in East African environments, The yield stability of sorghum varieties and (B. N. MAJISU and H. DOGGETT) 38(2)179
- Hydraulic sprayer (Hardi), Modification, of a, for improved coffee spraying (J. L. PEREIRA) 37(4)318
- Hyparrhenia* grassland, Comparison of seed beds for oversowing a *Chloris gayana* Kunth./*Desmodium uncinatum* Jacq. Mixture in (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) 37(4)286
- Impala, The free water intake of, in relation to the water content of their food (P. J. JARMAN) 38(4)343
- Importance, The pathogenic, of gastro-intestinal nematodes for sheep and goats in relation to the need for the economic development of the livestock industry of Sukumaland Tanzania (B. McCULLOCH and S. KASIMBALA) 36(1)20
- Industry, livestock, and economic development of Sukumaland, Tanzania, Pathogenic importance of gastro-intestinal nematodes for sheep and goats in relation to the need for (B. McCULLOCH and S. KASIMBALA) . . 36(1)20
- Influence of certain physical and chemical treatments on the germination and subsequent growth of coconut *Cocos nucifera* L. seedlings, A preliminary study of (K. M. C. THOMAS) 40(2)216
- Influence of farmyard manure and nitrogen fertilizers on sown pastures, seed yield and quality of *Cenchrus ciliaris* L. at Kongwa, Tanzania (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) 38(4)367
- Inoculation, Effects of, and fertilizers on *Desmodium intortum* at Serere, Uganda (W. B. WENDT) 36(4)317
- Insecticidal control of *Pineus* sp. (Homoptera: Adelgidae) in East Africa (J. A. ODERA) . . 37(4)308
- Insecticides, Tests of, against *Pineus* spp. in East Africa (K. W. BROWN) 36(2)200
- Insects, The toxicity of some, against *Manowia* sp. (Acridoidea: Eumastacidae) a pest of pinus plantations in Malawi (R. D. MACCUEIG and A. L. DAVIES) 37(4)272
- Introduction, testing and selection of soyabbeans in Uganda (P. R. RUBAIHAYO and C. L. A. LEAKEY) 36(1)77
- Investigations into the behaviour of the seeds of some tropical weeds.
- I. Laboratory germination tests
 - II. Dry soil storage and seasonal germination (A. I. POPAY) 40(4)408
- Investigations into deaths of *Pinus patula* schl.

- and Cham. seedlings at Kapseret and Eldoret Forest nurseries (F. K. ARAP SANG and F. M. MUNGA) 40(1)38
- In vitro* digestibility of sodium hydroxide treated grass harvested at different stages of growth (A. G. K. MWAKATUNDU and AMYR OWEN) 40(1)38
- Irrigation, Application of nitrogen and, to pasture to enhance cattle production during the dry seasons in Uganda (E. R. TIHARU HONDI, F. J. OLSEN and R. S. MUSANGI) . . 38(4)38
- Jerseys in Uganda, The performance of imported English (R. H. PHIPPS) 38(4)329
- Journal Brief: The rediscovery in Kenya of two introduced coccinellids (*Cryptolaemus montrouzieri* Muls., and *Radolia carinalis* Muls.) (D. J. GREATHEAD) 38(2)214
- Kano plains of Kenya, Gypsum as improver of the permeability of grumusol (typic pellustert) in the (N. N. NYANDAT) . . 38(1)38
- Kenya—
- A study of root and shoot growth on three grass species in (R. TAERUM) 36(2)155
- A technique for rooting cuttings of *Pinus radiata* in (M. H. IVORY) 36(4)350
- coffee, The praying mantis *Sphodromantis* sp. as a predator of the giant looper, *Ascotis selenaria reciprocaria* Walk. in: Laboratory evaluation (R. O. ABASA and W. M. MATHENGE) 37(2)17
- comparative root and shoot growth studies on six grasses in (T. TAERUM) . . 36(1)94
- Cylindrocarpum root-rot of tea in (J. M. KORI and J. J. ONDIEKI) 37(3)211
- Fertilizer experiment on small cotton farms in, 1968–1971 (S. TVEITNES and O. NYAAS-AAKERBAKKEN) 38(3)282
- Fertilizer response to wheat in (J. F. SEITZER, M. J. BUTT and H. A. MULA-MULA) 36(1)131
- Fusarium solani* associated with a wilt of *coffea arabica* in (CELIA J. BAKER) . . 38(2)137
- Grain and mulch production from maize in coffee growing areas of: Effect of spacing, fertilizer application and variety (A. M. KABAARA and B. S. KIMEU) 38(4)334
- Gypsum as improver of permeability of grumusol (typics pellustert) in the Kano plains of (N. N. NYANDAT) 38(1)38
- Halo blight of oats in (D. E. HARDER and D. C. HARRIS) 38(3)241
- Management and utilization of Thomson's gazelles on a cattle and sheep ranch in the highlands (H. HVIDBERGHANSEN) 36(4)322
- Observations on lucerne as a pasture legume on volcanic ash soil at Njoro (D. B. THOMAS) 37(4)336
- orgyia mixta* Snell (Lepidoptera. Lymantriidae) a defoliator of exotic softwood in (O. AUSTARA and J. MIGUNDA) . . 36(3)298
- oversowing improved pasture legumes in natural grasslands of the medium

- altitudes western (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(2)148
- Phoma herbarum* westend: a pathogen of *Acacia mearnsii* de wild. in (T. W. OLEMO) .. 38(2)201
- Phosphate sorption capacity in relation to properties of several types of, soil (G. HINGA) .. 38(4)400
- preliminary selection of pasture plants for the semi-arid areas of (E. B. SANDS, D. B. THOMAS, J. KNIGHT and D. J. PRATT) .. 36(1)49
- Range cattle, The estimation of liveweight from Heart girth within specified age/sex groups of (D. L. YOUNG) .. 38(2)193
- the fluorine content and food value of lake fish of. (H. BERGH and J. HAUG) .. 36(4)391
- The rediscovery in, of two introduced Coccinellids (*Cryptolaenus montrouzieri* Muls., and *Rodolia cardinalis* Muls.) (D. J. GREATHEAD) .. 38(2)214
- vegetables, leaf protein content of some (S. K. IMBAMBA) .. 38(3)246
- wheat in, seventy years with (F. F. PINTO and E. A. HURD) Special issue .. 36
- Kikuyu grass *Pennisetum clandestinum*, in-vivo digestibility and nutritive value of, with a tentative assessment of its yield of nutrients (A. N. SAID) .. 37(1)15
- Kongwa, Tanzania, influence of farmyard manure and nitrogen fertilizers on sown pastures, seed yield and quality of *Cenchrus ciliaris* L. at (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) .. 38(4)367
- Kongwa, Tanzania, studies on water consumption, right grazing and growth of boran and crossbred steers at (P. M. WIGG and M. A. OWEN) .. 38(4)361
- Laboratory screening of herbicides for control of *Oxalis latifolia* H.B.K. (M. A. CHAWDHRY) .. 40(1)65
- Lake Albert, Uganda, an observation of mass mortality of Nile Perch (*Lates* sp.) on (I. S. C. PARKER) .. 36(4)419
- Lake Rudolf fish meal, chick and pig tests of a sample from *Citharinus citarus* (B. LAKSEVELA, H. BERGH and J. HAUG) .. 37(1)38
- Larval parasite *Charops* sp. (Hymenoptera Ichneumonidae) of *Orgyia mixta* Snell (J. MIGUNDA) .. 36(3)231
- Lates* sp. Nile perch, an observation of mass mortality of, on Lake Albert, Uganda (I. S. C. PARKER) .. 36(4)418
- Leaf area of trifoliolate legumes using non-destructive linear measurements, Estimation of (M. S. NDAWULA-SENYIMBA) .. 37(3)192
- Leaf protein of some Kenya vegetables (S. K. IMBAMBA) .. 38(3)246
- Leaf stage and time of anthesis on the yield of sorghum, Effect of defoliation of flag (B. A. C. ENYI) .. 38(4)410
- Legume(s)—
A note on the occurrence of *Zabrotes subfasciatus* Boh., Coleoptera (Bruchidae) on, in Uganda (J. C. DAVIES) .. 37(3)294
- in natural grasslands of the medium altitudes of Western Kenya, oversowing improved pasture (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)148
- observations on lucerne as a pasture, on volcanic ash soil at Njoro, Kenya (D. B. THOMAS) .. 37(4)336
- trifoliolate, using non-destructive linear, measurements, Estimation of leaf area of (M. S. NDAWULA-SENYIMBA) .. 37(2)192
- Legume, pasture mixtures at different seeding rates, The productivity and botanical composition of some selected grass (F. J. OLSEN and E. R. TIHARUHONDI) .. 38(1)16
- Legume/grass mixtures under grazing, observations on some (A. V. BOGDAN and E. MWAKHA) .. 36(1)35
- Length and Frequency of oestrus in Friesian Milking cows in Kenya (S. DE VRIES, A. OSINGA and J. ZEINSTR) .. 39(2)196
- Lepidopterous defoliators of exotic softwoods in East Africa, host list and distribution of (O. AUSTARA and T. JONES) .. 36(4)400
- Level, variations in, of *Colletotrichum coffeanum* Noack. in the bark of *Coffea arabica* cultivas (S. K. MULINGE) .. 36(2)227
- Leys, the long-term effects of fertilizers, farmyard manure and, at Mwanhala, Western Tanzania (M. A. SCAIFE) .. 37(1)8
- Life cycle and biology of *Gonometa podocarpi* Aur. (Lepidoptera. Lasiocampidae) a defoliator of exotic softwoods in East Africa, at Muko, Kigezi district in Uganda, the (O. AUSTARA) .. 36(3)275
- Light-trap catches of *Spodoptera exempta* (walk.) in relation to wind direction (MARGARET J. HAGGIS) .. 37(2)100
- Lime on the establishment, productivity, nodulation and persistence, of *Desmodium intortum*, *Medicago sativa* and *Stylosanthes gracilis*, the effect of phosphate and (F. J. OLSEN and P. G. MOE) .. 37(1)29
- Liming continuously cultivated soils in Uganda (H. L. FOSTER) .. 36(1)58
- Linear measurements, Estimation of leaf area of trifoliolate legumes using non-destructive (M. S. NDAWULA-SENYIMBA) .. 37(2)192
- Linseed seeds rates trial, A (D. D. A. NICHOLSON) .. 37(2)146
- Livestock industry of Sukumaland, Tanzania, the pathogenic importance of gastrointestinal nematodes for sheep and goats in relation to the need for economic development of (B. McCULLOCH and S. KASIMBALA) .. 36(1)20
- Liveweight from Heart girth within specified age/sex groups of Kenya range cattle, The estimation of (D. L. YOUNG) .. 38(2)193
- Lucerne as a pasture legume on volcanic ash soil at Njoro, Kenya, observations on (D. B. THOMAS) .. 37(4)336
- Lysimeter study of water use of maize and beans in East Africa (E. J. WANG'ATI) .. 38(2)141

- Maize—
 and beans in East Africa, Lysimeter study of water use of (F. J. WANG'ATI) 38(2)141
 and sorghum, The relation between simulated armyworm damage and crop-loss in (E. S. BROWN and A. K. A. MOHAMED) .. 37(3)237
 in coffee growing areas of Kenya Grain and Mulch production from, Effects of spacing, fertilizer application and variety (A. M. KABAARA and B. S. KIMEU) .. 38(4)334
 variety trials in Tanzania 1966-1970 (A. BOLTON) .. 37(2)109
- Malawi—
 stallfeeding experiments with beef in Southern (A. T. SPURLING and D. SPURLING) .. 38(1)70
 The toxicity of some insects against *Manowia* sp. (Acridoidea: Eumastacidae), a pest of *Pinus* plantations in (R. O. MACCUAIG and A. L. DAVIES) .. 37(4)272
 Management and utilization of Thomson's gazelles on a cattle and sheep ranch in the highlands (H. HVIDBERG-HANSEN) .. 36(4)322
Manihot esculenta Grantz. The effects of spacing on growth, development and yield of single and multi-shoot plants of cassava
 I. Root tuber yield and yield attributes .. 38(1)23
 II. physiological factors (B. A. C. ENYI) .. 38(1)27
Manowia sp. (Acridoidea: Eumastacidae) a pest of *Pinus* plantations in Malawi. The toxicity of some insects against (R. D. MACCUAIG and A. L. DAVIES) .. 37(4)272
 Manure farmyard, the long-term effects of fertilizers, and leys at Mwanhala, Western Tanzania (M. A. SCAIFE) .. 37(1)8
 Manure and nitrogen fertilizers on sown pastures, seed yield and quality of *Cenchrus ciliaris* L., at Kongwa, Tanzania, Influence of farmyard (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) .. 38(4)367
 Market garden in Uganda, Performance of a small vegetable (A. G. K. WILL) .. 38(1)8
Medicago sativa and *Stylosanthes gracilis*, The effect of phosphate and lime on the establishment, productivity, nodulation and persistence of *Desmodium intortum* (F. J. OLSEN and P. G. MOE) .. 37(1)29
 Mediterranean fruit fly, *Ceratitidis capitata* wied. Laboratory investigations of its reproductive behaviour in *Coffea arabica* in Kenya (R. O. ABASA) .. 37(3)181
Melanagromyza chalcosoma, Spencer, effects of attack by, on germination and development of cowpea (C. S. KOEHLER and P. N. MEHTA) .. 36(1)83
 Meliaceae in Uganda (B. T. STYLES) .. 39(4)407
 Metabolism of dietary urea by *Bos indicus* (Boran) and *Bos taurus* (Hereford) steers (C. N. KARUE, J. L. EVANS and A. D. TILLMAN) .. 38(1)94
 Metabolism of urea nitrogen and adaptation response trends in the wether and steer (C. N. KARUE, J. L. EVANS and J. G. WELCH) 36(1)88
- Method, a punch card for the identification of East African grasses based on vegetative characters (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) .. 36(4)33
 Methods, automated, for nitrogen, phosphorus, and potassium determination in coffee plant and mulching materials (B. S. KIMEU and E. A. ADUAYI) .. 38(2)207
 Microbiological and chemical studies on Congolese Palm wines (*Elaeis guineensis*) (W. VAN PEE and J. C. SWINGS) .. 36(3)31
 Migratory capability of the African armyworm moth *Spodoptera exempta* (walk) (D. J. AIDLEY) .. 40(2)203
 Milk composition and yield characteristics of Mpwapwa cattle (G. H. KIWUWA and M. L. KYOMO) .. 36(3)290
 Mineral composition of coffee seedlings grown in nutrient solutions, Effects of cuprous oxide (copper) on the growth and (E. A. ADUAYI) .. 37(3)183
 Mineral composition of some tropical grasses and their relationship of the organic constituents and estimates of digestibility (HENRY KAYONGO-MALE and J. W. THOMAS) 40(4)422
 Mistblower application of chemicals to control bush range, and (G. W. IVENS) .. 37(2)177
 Mixtures, observations of some grass/legume under grazing (A. V. BOGDAN and E. MWAKHA) .. 36(1)35
 Mortality mass, cf (*Lates* sp.) Nile perch, an observation of, Lake Albert, Uganda (I. S. C. PARKER) .. 36(4)419
 Mpwapwa cattle, milk composition and yield characteristics of (G. H. KIWUWA and M. L. KYOMO) .. 36(3)290
 Mulch and grain production from maize in coffee growing areas of Kenya: Effects of spacing, fertilizer application and variety (A. M. KABAARA and B. S. KIMEU) .. 38(4)334
 Mulching materials, Automated methods for nitrogen, phosphorus and potassium determination in coffee plant and (B. S. KIMEU and E. ADUAYI) .. 38(2)207
 Napier and Guatemala grasses in Western Kenya, Effect of cutting frequency on productivity of (E. MWAKHA) .. 37(3)206
 Natural enemies, with notes on, white sugarcane scale (*Aula caspis* spp.) (Diaspididae, Hemiptera) in Africa (D. J. GREATHEAD) .. 36(1)70
 Nematodes, gastro-intestinal, the pathogenic importance of, for sheep and goats, in relation to the need for the economic development of the livestock industry of Sukumaland, Tanzania (B. MCCULLOCH and S. KASIMBALA) .. 36(1)203
 Nematode, the burrowing *Radopholus similis* from Tanzania and Kenya (B. W. NGUNDO and D. P. TAYLOR) .. 38(4)405
 Nematode (*Tylenchulus semipenetrans*) from Tanzania with notes on its known distribution in Kenya, The citrus root (D. P. TAYLOR and B. W. NGUNDO) .. 38(4)407
 Nile perch (*Lates* sp.) an observation of mass mortality of, on Lake Albert, Uganda

- (I. S. C. PARKER) 36(4)418
- Nigeria, The heritability and economic importance of nipple numbers in swine at the University of Ibadan (J. A. OLUYEMI and EBUN BABATOLA) 38(3)215
- Night grazing and growth of boran and cross-bred steers and at Kongwa, Tanzania, Studies on water consumption (P. M. WIGG and M. A. OWEN) 38(4)361
- Nipple numbers in swine at the University of Ibadan, Nigeria, The heritability and the economic importance of (J. A. OLUYEMI and EBUN BABATOLA) 38(3)215
- Nitrogen—
- and irrigation to pasture to enhance cattle production during the dry seasons in Uganda, Application of (E. R. TIHARUHONDI, F. J. OLSEN and R. S. MUSANGI) 38(4)383
- fertilizer and spacing experiment with pawpaw, a note on (P. J. NORTHWOOD) 36(1)45
- fertilizers on sown pastures, seed yield and quality of *Cenchrus ciliaris* L. at Kongwa, Tanzania, Influence of farmyard manure and (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) 38(4)367
- phosphorus and copper on grain yield of wheat on a copper deficient soil, The effect of (W. W. WAPAKALA) 38(3)229
- phosphorus and potassium determination in coffee plant and mulching materials, Automated methods for (B. S. KIMEU and E. A. ADUAYI) 38(2)207
- Note on copper deficiency symptoms of some field crops (W. W. WAPAKALA) . . 38(2)211
- Oats in Kenya, Halo blight of (D. E. HARDER and D. C. HARRIS) 38(3)241
- observations of the water culture technique for studying the effects of copper concentration on arabica coffee seedlings (E. A. ADUAYI) 38(1)62
- Oesophageal fistulated steers. Seasonal crude protein content of sample obtained from a tropical range pasture using (E. A. A. DRADU and G. N. HARRINGTON) 38(1)56
- Oil, protein and sugar content of soybean seed, Effect of puberulent genotype on (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ) 38(2)175
- retention, carcass analysis, energy balance of cattle, the effects of Hexoestral implantation on (A. ROGERSON and H. P. LEDGER) 36(2)177
- urea, metabolism of, and adaptation response trends, in the growing wether and steer (C. N. KARUE, J. L. EVANS and J. G. WELCH) 36(1)88
- Nitrogen-balance studies with Red Sokoto (Maradi) goats for the minimum protein requirements (A. U. MBA, C. P. EGBUIWE and V. A. OYENUGA) 40(3)285
- Note(s)—
- on a spacing and fertilizer experiment with pawpaw (P. J. NORTHWOOD) 36(1)45
- on a chemical content of some East African grasses (R. TAERUM) 36(2)171
- on natural enemies with, white sugarcane scales (*Aulacaspis* spp.) (Diaspididae, Hemiptera) in East Africa (D. J. GREATHEAD) 36(1)70
- on the control and biology of *Heliothis armigera* (Hub) on pigeon pea in Uganda (C. S. KOEHLER and K. O. RACHIE) 36(3)296
- on the Insect Parasites of some lepidopteran pests in Tanzania (I. A. D. ROBERTSON) 39(1)82
- on the occurrence of *Zabrotes subfasciatus* Boh., Coleoptera (Bruchidae) on legumes in Uganda (J. C. DAVIES) . . 37(4)294
- on the seasonal variations in starch content of different parts of Arabica coffee trees (R. Z. PATEL) 36(1)1
- Notes on East African plant virus disease—
- 5—Identification and economic importance of sugar cane mosaic virus in maize in East Africa (H. Y. KULKARNI) 39(2)158
- 4—Bean common mosaic virus (H. Y. KULKARNI) 39(1)72
- 7—Lettuce Mosaic virus (E. J. GUTHRIE) 39(4)431
- 3—Pea Mosaic virus (K. R. BOCK, E. J. GUTHRIE and H. Y. KULKARNI) 39(1)77
- 6—Virus disease of Passiflora in Kenya (W. BAKKER) 40(1)11
- NPK—
- and Boran fertilizers, the importance of, to Eucalyptus in the Southern Province, Zambia (E. N. COOLING and B. E. JONES) 36(2)185
- observation, an, of mass mortality of Nile perch (*Lates* sp.) on Lake Albert, Uganda (I. S. C. PARKER) 36(4)419
- Nutrient composition of coconut leaves and its relationship to nut yields in Tanzania (K. M. THOMAS and S. S. NANDRA) . . 39(2)170
- Nutrient—
- solutions, Effects of cuprous oxide (copper) on the growth and mineral composition of coffee seedlings grown in (E. A. ADUAYI) 37(3)185
- supply on yield of Pyrethrum (*Chrysanthemum cinerariaefolium*), Effect of acidity and cation content of (A. PINKERTON) 37(1)87
- Nutritive value of Kikuyu grass *Pennisetum*

- clandestinum* with a tentative assessment of its yield of nutrients, *In-vivo* digestibility and (A. N. SAID) 37(1)15
- Observation—
- on lucerne as a pasture legume on volcanic ash soil at Njoro, Kenya (D. B. THOMAS) 37(4)336
- on some grass/legume mixtures under grazing (A. V. BOGDAN and E. MWAKHA) 36(1)35
- Some, on Coastal soils (J. MAKIN) .. 36(1)124
- on the white Fulani (Bunaji) Zebu cattle of Northern Nigeria in a Southern Nigeria environment III. Feed intake, yield and composition of milk cows fed supplementary concentrates on pasture (E. A. OLALOKU and V. A. OYENUGA) .. 40(1)103
- on the Seasonal emergence of fruit flies on a Kenya coffee Estate and studies of the Pest status of *Ceratitis capitata* wied in coffee (R. O. ABASA) 39(2)144
- Oestrus and ovulation in *Bos indicus* heifers, synchronization of, using an orally active progestogen (J. S. MACFARLANE and R. SALEKA) 36(4)353
- Oestrus and time of ovulation in Friesian cattle in Kenya (S. DE VRIES) 40(3)227
- Optimum cutting period of silage maize in Western Kenya (R. D. SHELDRICK) .. 40(4)397
- Orgyia mixta* Snell. *Charops* sp. (Hymenoptera Ichneumonidae) a larval parasite of (J. MIGUNDA) 36(3)231
- Orgyia mixta* Snell. (Lepidoptera. Lymantriidae) a defoliator of exotic softwoods in Kenya (O. AUSTARA and J. MIGUNDA) .. 36(3)298
- Oversowing a *Chloris gayana* Kunth./*Desmodium uncinatum* Jacq. mixture in Hyparrhenia grassland (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) 37(4)286
- Oversowing improved pasture legumes in natural grassland of the medium altitudes of Western Kenya (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) 37(2)148
- Ovulation and oestrus in *Bos indicus* heifers, Synchronization of, using an orally active progestogen (J. S. MACFARLANE and R. SALEKA) 36(4)353
- Oxalate content of some commonly grazed pasture forages of Lango and Acholi Districts of Uganda (W. K. NDYANABO) .. 39(3)210
- Palm wines, Congolese (*Elaeis guineensis*) chemical and microbiological studies on (W. VAN PEE and J. C. SWINGS) 36(3)311
- Parasite, a larval, *Charops* sp. (Hymenoptera. Ichneumonidae) of *Orgyia mixta* Snell (J. MIGUNDA) 36(2)231
- Pasture—
- application of nitrogen and irrigation to, to enhance cattle production during the dry seasons in Uganda (R. R. TIHARUHONDI, F. J. OLSEN and R. S. MUSANGI) 38(4)383
- grasses in Tanzania, The effect of cutting frequency and cutting height on four naturally occurring (E. G. VAN VOOR-THUIZEN) 37(3)258
- legume, Observation on lucerne as a, on volcanic ash at Njoro, Kenya (D. B. THOMAS) 37(4)336
- legumes in natural grasslands of the medium altitudes of Western Kenya, Oversowing improved (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)286
- mixtures at different seeding rates, The productivity and botanical composition of some selected grass/legume (F. J. OLSEN and E. R. TIHARUHONDI) .. 38(1)103
- plants, Preliminary selection of, for the semi-arid areas of Kenya (E. B. SANDS, D. B. THOMAS, J. KNIGHT and D. J. PRATT) 36(1)49
- species, Response of, in Eastern Uganda, to phosphorus, sulphur and potassium (W. B. WENDT) 36(2)211
- Seasonal crude protein content of samples obtained from a tropical range using oesophageal fistulated steers (E. A. A. DRADU and G. N. HARRINGTON) .. 38(1)56
- seed yield and quality of *Cenchrus ciliaris* L., at Kongwa, Tanzania, Influence of farmyard manure and nitrogen fertilizers on sown (P. W. WIGG, M. A. OWEN and M. J. MUKURASI) 38(4)367
- in semi-arid Central Tanzania, The role of sown (P. M. WIGG) 38(4)372
- Pathogen, Host range studies on the, of Zebra disease of Agave hybrid No. 11648. (*Phytophthora nictianae*) (D. J. ALLEN) .. 36(1)119
- Pathogenic importance of gastro-intestinal nematodes for sheep and goats, in relation to the need for the economic development of the livestock industry of Sukumaland, Tanzania. (B. MACCULLOCH and S. KASIMBALA) 36(1)200
- Pathogenic, *Phoma herbarum* Westend. a, of *Acacia mearnsii* de wild., in Kenya (T. W. OLEMBO) 38(2)200
- Pawpaw, A note on a spacing and nitrogen fertilizer experiment with (P. J. NORTHWOOD) 36(1)43
- Perch, Nile (*Lates* sp.) an observation of mass mortality on Lake Albert, Uganda (I. S. C. PARKER) 36(4)418
- Performance of white rock and local Nigerian chicks on diets supplemented with fishmeal (J. A. OLUYEMI and V. A. OYENUGA) .. 40(2)157
- Permormance—
- The effects of non-genetic factors on dairy cattle, in East Africa
- I. A fixed model procedure for

- season and parity influences ... 38(3)252
- II. testing for season and parity effects 38(3)262
- III. estimation of the seasonal and parity differences (G. H. KIWUWA) 38(3)273
- of imported English Jerseys in Uganda, the (R. H. PHIPPS) ... 38(4)329
- of a small vegetable market garden in Uganda (A. G. K. WILL) ... 38(1)8
- Pennisetum clandestinum* with a tentative assessment of its yield of nutrients, *In-vivo* digestibility and nutrient value of Kikuyu grass (A. N. SAID) ... 37(1)15
- Pest(s)—**
- in East Africa, A survey of sugar cane diseases and (P. F. ROGERS and M. N. SIMBWA-BUNNYA) ... 38(2)162
- of *Pinus* plantations in Malawi, The toxicity of some insects *Manowia* sp. (Acridoidea: Eumastacidae) a (R. D. MACCUEAIG and A. L. DAVIES) ... 37(4)272
- status of thrips and lepidopterous species on vegetables in Uganda (Z. M. NYIIRA) 39(2)131
- Phoma herbarum* Westend. a pathogen of *Acacia mearnsii* de wild. in Kenya (T. W. OLEMO) ... 38(2)201
- Phosphate—**
- and lime on the establishment, productivity, nodulation and persistence of *Desmodium intortum*, *Medicago sativa* and *Stylosanthes gracilis*, The effect of (F. J. OLSEN and P. G. MOE) ... 37(1)29
- sorption capacity in relation to properties of several types of Kenya soil (G. HINGA) ... 38(4)400
- Phosphorus and copper on grain yield of wheat on a copper deficient soil, The effect of nitrogen (W. W. WAPAKALA) ... 38(3)229
- Phosphorus and potassium determination in coffee plant and mulching materials, Automated methods for nitrogen (B. S. KIMEU and E. A. ADUAYI) ... 38(2)207
- Phosphorus, sulphur and potassium, response of pasture species in Eastern Uganda to (W. B. WENDT) ... 36(2)211
- Physiological factors, The effect of spacing on growth development and yield of single and multishoot plants of cassava (*Manihot esculenta* Grantz) II (B. A. C. ENYI) ... 38(1)27
- Physiology of a semi-desert antelope, the dik dik, Studies on the environmental (A. SCHOEN) ... 37(4)325
- Physiology of the bushbuck, the reedbuck and the Uganda Kob, The effect of heat stress and water deprivation on the environmental (A. SCHOEN) ... 37(1)1
- Phytophthora nicotianae*, host range studies on the pathogen of Zebra disease of Agave hybrid No. 11648 (D. J. ALLEN) ... 36(1)119
- Picloran and 2, 4-D/picloran mixtures and additional treatment with picloran granules, The effect of foliar spraying of *Acacia hockii* de wild. with (G. N. HARRINGTON) ... 37(3)197
- Pig and chick tests of a sample from *Citharinus citarus*, Lake Rudolf fishmeal (B. LAKSEVELA, H. BERG and J. HAUG) ... 37(1)38
- Pigeon peas and beans in the Arusha area of Tanzania, population dynamics of *Acanthomia* spp. (Hemiptera: Coreidae) on (M. E. A. MATERU) ... 36(4)361
- Pigeon pea in Uganda, notes on the control and biology of *Heliothis armigera* (Hub) on (C. S. KOEHLER and K. O. RACHIE) ... 36(3)296
- Pigeon pea germplasm, Preliminary evaluation and utilization of, in Uganda (T. N. KHAN and K. O. RACHIE) ... 38(1)78
- Pines exotic East African, strength variations and correlations in, and their effect on engineering properties (D. N. PATERSON and P. A. CAMPBELL) ... 36(1)7
- Pines, the action of copper fungicides in the control of Dothistroma Blight of—a pilot study (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) ... 36(1)139
- Pinus* spp. in East Africa, tests of insecticides against (K. W. BROWN) ... 36(2)200
- Pinus* sp. (Homoptera: Adelgidae), Insecticidal control of, in East Africa (J. A. ODERA) 37(4)308
- Pinus kesiya* in Zambia, clean cultivation and the establishment of (F. ENDEAN and B. E. JONES) ... 38(2)120
- Pinus patula* the effect of artificial defoliation on the growth of, in East Africa (O. AUSTARA) ... 36(1)114
- Pinus* plantations in Malawi, The toxicity of some insects against *Manowia* sp. (Acridoidea: Eumastacidae) a pest of (R. D. MACCUEAIG and A. L. DAVIES) ... 37(4)272
- Pinus radiata*, Dothistroma Blight of, field control of, using copper fungicide sprays (I. A. S. GIBSON) ... 36(3)247
- Pinus radiata* a technique for rooting cuttings of, in Kenya (M. H. IVORY) ... 36(3)256
- Plant(s)—**
- analysis, rapid routine soil and, without automatic equipment
- I. Routine soil analysis ... 37(2)160
- II. Routine plant analysis (H. L. FOSTER) ... 38(2)130
- coffee, and mulching materials, Automated methods for nitrogen, phosphorus and potassium determination in coffee (B. S. KIMEU and E. A. ADUAYI) ... 38(2)207
- hairiness in Allen cotton (*Gossypium hirsutum*) (N. L. INNES and L. N. BUSUULWA) ... 38(3)298
- pasture, preliminary selection of, for the semi-arid areas of Kenya (E. B. SANDS, D. B. THOMAS, J. KNIGHT and D. J. PRATT) ... 36(1)49
- populations and spacing I. soya bean agronomy in Uganda (C. L. A. LEAKEY and P. R. RUBAIHAYO) ... 37(3)201
- Plantations, The toxicity of some insects against *Manowia* sp. (Acrididae: Eumastacidae) a pest of *Pinus*, in Malawi (R. D. MACCUEAIG and A. L. DAVIES) ... 37(4)272

Population dynamics of *Acanthomia* spp. (Hemiptera, Coreidae) on beans and pigeon peas in the Arusha area of Tanzania (M. E. A. MATERU) 36(4)361

Poria root disease of exotic forest trees in East Africa (M. H. IVORY) 39(2)204

Potassium deficient soils in Uganda, The identification of potentially (H. L. FOSTER) 37(3)224

Potassium determination in coffee plant and mulching materials, Automated methods for nitrogen, phosphorus and (B. S. KIMEU and E. A. ADUAYI) 38(2)207

Potassium, phosphorus and sulphur, pasture species response to, in Eastern Uganda (W. B. WENDT) 36(2)211

Potato clonal variation with respect to the relation between fruit set and tuber yield (HAILE-MICHAEL KIDANE MIRIAM and S. J. PELOQUIN) 40(3)256

Potentially valuable crop for agricultural diversification in Central Uganda, soya-beans as a (C. L. A. LEAKEY and P. R. RUBAIHAYO) 36(1)39

Pot tests, crop response to single superphosphate in Uganda using (H. L. FOSTER) . . 36(2)202

Praying mantis *Sphodromantis* sp. as a predator of the giant looper *Ascotis selenaria reciprocata* Walk. in Kenya coffee, The. Laboratory evaluation (R. O. ABASA and W. M. MATHENGE) 37(2)177

Predator of the giant looper *Ascotis selenaria reciprocata* Walk. in Kenya coffee, The praying mantis *Sphodromantis* sp. as a; Laboratory evaluation (R. O. ABASA and A. M. MATHENGE) 37(2)177

Preliminary investigations with Arabica coffee in a root observation laboratory in Kenya (P. A. HUXLEY and A. TURK) 40(3)300

Preliminary selection of pasture plants for the semi-arid areas of Kenya (E. B. SANDS, D. B. THOMAS, J. KNIGHT and D. J. PRATT) 36(1)49

Production characteristics of Friesian and Jersey dairy cattle on privately owned farms in Kenya (G. H. KIWUWA) 39(3)289

Production, cattle, during the dry seasons in Uganda, Application of nitrogen and irrigation to pasture to enhance cattle (E. R. TIRARUHONDI, F. J. OLSEN and R. S. MUSANGI) 38(4)383

Production, grain and mulch, from maize in coffee growing areas of Kenya: effects of spacing, fertilizers application and variety (A. M. KABAARA and B. S. KIMEU) . . . 38(4)334

Productivity and botanical composition of some selected grass/legume pasture mixtures at different seeding rates, the (F. J. OLSEN and E. R. TIRARUHONDI) 38(1)16

Productivity of Napier and Guatemala grasses in Western Kenya, Effect of cutting frequency (E. MWAKHA) 37(3)206

Progress from half-sib selection in Kitale Station Maize (S. A. EBERHART and M. N. HARRISON) 39(1)12

Progestogen, an orally active, synchronization of oestrus and ovulation in *Bos indicus*

heifers using (J. S. MACFARLANE and R. SALEKA) 36(4)35

Properties engineering, strength variations and correlations in East African exotic pines and their effect on (D. N. PATERSON and P. A. CAMPBELL) 36(1)

Protein—
 content of samples obtained from a tropical range pasture using oesophageal fistulated steers, seasonal crude (E. A. A. DRADU and G. N. HARRINGTON) 38(1)5
 leaf, content of some Kenya vegetables (S. K. IMBAMBA) 38(3)24
 and sugar content of soybean seed, Effect of puberulent genotype on soil (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ) 38(2)17
 (*Pseudomonas solanacearum*), Resistance of groundnut varieties of bacterial wilt, in Uganda (M. SIMBWA-BUNNYA) 37(4)34
 Puberulent genotype on oil, protein and sugar content of soybean seed, Effect of (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ) 38(2)17
 Punch card method for the identification of East African grasses based on vegetative characters (M. D. GWYNNE and M. S. NDAWULA-SENYIMBA) 36(4)33
 Pyrethrum aerial sprays against *Glossina swynnertoni* Aust. in savannah woodland, An attempt to reduce the cost of (C. S. TARIMO, J. D. PARKER and J. M. KAHUMBURA) 38(1)4
 Pyrethrum (*Chrysanthemum cineraria-efolium*), Effect of acidity and cation content of nutrient supply on yield of (A. PINKERTON) 37(4)8
 Quality evaluation of four widely distributed native grasses in Tanzania (E. G. VAN VOORTHUIZEN) 36(4)38
Radopholus similis from Tanzania and Kenya, The burrowing nematode (B. W. NGUNDO and D. P. TAYLOR) 38(4)40
 Range cattle, The estimation of liveweight from Heart girth within specified age/sex group of Kenya (D. L. YOUNG) 38(2)19
 Range pasture, tropical, seasonal crude protein content samples obtained from a, Using oesophageal fistulated steers (E. A. A. DRAI U and G. N. HARRINGTON) . . . 38(1)5
 Rangeland, mistblower application of chemicals to control bush in (G. W. IVENS) . 37(2)17
 Rations, utilization of coffee hulls in cattle fattening (H. P. LEDGER and A. D. TILLMAN) 37(3)23
 Ratoon stunting disease of sugar cane in Kenya (M. P. EARLY) 39(1)5
 Reedbuck and the Uganda kob, the effect of heat stress and water deprivation on the environmental physiology of the bushbuck, the (A. SCHOEN) 37(4)32
 Relation, the free water intake of impala in, to water content of their food (P. J. JARMAN) . 38(4)34
 Reproductive behaviour, The Mediterranean fruit fly, *Ceratitis capitata* wied. Laboratory

- investigation of its, in *Coffea arabica* in Kenya (R. O. ABASA) .. 37(3)181
- Residual effects of NPK fertilizer application on the yield of maize and pasture on a Ferrisol at Morogoro (W. Y. F. MARANDU, A. P. URIYO and H. O. MONGI) .. 40(4)400
- Response—
- adaptation trends in the growing wether and steer, metabolism of urea nitrogen and (C. N. KARUE, J. L. EVANS and J. G. WELCH) .. 36(1)88
- crop to single superphosphate in Uganda, using pot tests (H. L. FOSTER) .. 36(2)202
- fertilizer to wheat in Kenya (J. F. SEITZER, M. J. BUTT and H. A. MULAMULA) .. 36(1)131
- of pasture species in Eastern Uganda to phosphorus, sulphur and potassium (W. B. WENDT) .. 36(2)211
- Resistance of groundnut varieties of bacterial wilt (*Pseudomonas solanacearum*) in Uganda (SIMBWA-BUNNYA) .. 37(4)341
- Restrictions, The effect of short-term cash, on the choice of small holder farming systems (J. P. G. WEBSTER) .. 37(4)331
- Retention, nitrogen of cattle, the effects of hexoestral implantation on carcass analysis, energy balance, and (A. ROGERSON and H. P. LEDGER) .. 36(2)177
- Robusta coffee, the yeast flora of fermenting (W. VAN PEE and J. CASTELEIN) .. 36(3)308
- Rocks, in Uganda, Fertilizer recommendations for cereals grown on soils derived from volcanics (H. L. FOSTER) .. 38(3)303
- Rodolia cardinalis* Muls., The rediscovery in Kenya of two introduced Coccinellids (*Cryptolaemus montrouzieri* Muls., and *Rodolia cardinalis* Muls.) (D. J. GREATHEAD) .. 38(2)214
- Role of fungi and cultural factors in the etiology of root rot of vanilla (*Vanilla fragrans* (Salisb.) (Ames)) in Uganda (C. L. A. LEAKEY) .. 36(2)207
- Root and shoot, a study of, on three grass species in Kenya (R. TAERUM) .. 36(2)155
- Root and shoot, comparative growth studies on six grasses in Kenya (R. TAERUM) .. 36(1)94
- Root nematode *Tylenchulus semipenetrans*, from Tanzania with notes on its known distribution in Kenya, The citrus (D. P. TAYLOR and B. W. NGUNDO) .. 38(4)407
- Root rot of vanilla (*Vanilla fragrans* (Salisb.) (Ames)) in Uganda, the role of fungi and cultural factors in the etiology of (C. L. A. LEAKEY) .. 36(2)207
- Root-rot *Cylindrocarpon* of tea in Kenya (J. M. KORI and J. J. ONDIEKI) .. 37(3)212
- Root-splits, the establishment of desirable grass/legume mixtures in unimproved grassland by planting (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)286
- Root tuber yield and yield attributes, The effects of spacing on growth, development and yield of single and multishoot plants of cassava (*Manihot esculenta* Grantz) I (B. A. C. ENYI) .. 38(1)23
- Rot of vanilla (*Vanilla fragrans* (Salisb.) (Ames)) the role of fungi and cultural factors in the etiology of root (C. L. A. LEAKEY) .. 36(2)207
- Savannah woodland, An attempt to reduce the cost of pyrethrum aerial sprays against *Glossina swynnertoni* Aust. in (C. S. TARIMO, J. D. PARKER and J. M. KAHUMBURA) .. 38(1)47
- Scales, white sugar cane (*Aulacaspis* spp.) (Diaspididae:Hemiptera) in East Africa, with notes on their natural enemies (D. J. GREATHEAD) .. 36(1)70
- Seasonal crude protein content of samples obtained from a Tropical range pasture using oesophageal fistulated steers (E. A. A. DRADU and G. N. HARRINGTON) .. 38(1)56
- Seasonal variations in starch content of different parts of Arabica coffee trees, a note on (R. Z. PATEL) .. 36(1)1
- Seasons in Uganda, Application of nitrogen and irrigation to pasture to enhance cattle production during the dry, in Uganda (E. R. TIHARUHONDI, F. J. OLSEN and R. S. MUSANGI) .. 38(4)383
- Seed-beds, comparison of, for oversowing a *chloris gayana* kunth./*Desmodium uncinatum* Jacq. mixture in Hyparrhenia grassland (N. C. O. KEYA, F. J. OLSEN and R. HOLLIDAY) .. 37(4)286
- Seed, effect of puberulent genotype on oil, protein and sugar content of soybean (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ) .. 38(2)175
- Seed rates trial, A linseed (D. D. A. NICHOLSON) .. 37(2)146
- Seed yield and quality of *Cenchrus ciliaris* L., at Kongwa, Tanzania, influence of farmyard manure and nitrogen fertilizers on sown pastures (R. M. WIGG, M. A. OWEN and N. J. MUKURASI) .. 38(4)367
- Seeding rates, The productivity and botanical composition of some selected grass/legume pasture mixtures at different (F. J. OLSEN and E. R. TIHARUHONDI) .. 38(1)16
- Seedlings, Arabica coffee, observations of the water culture technique for studying the effects of copper concentrations on .. 38(1)62
- Seedlings, coffee, grown in nutrient solutions, Effects of cuprous oxide (copper) on grown and mineral composition of coffee (E. A. A. ADUAYI) .. 37(3)185
- Seedlings development of *Ensete* spp., The germination and (T. BEZUNEH) .. 37(2)158
- Selection in the rice variety Kihogo red for yield improvement (J. H. MONYO, D. R. HASWEL and S. H. MWARUKA) .. 39(2)149
- Selection preliminary, of pasture plants for the semi-arid areas of Kenya (E. B. SANDS, D. B. THOMAS, J. KNIGHT and D. J. PRATT) .. 36(1)49
- Selection, introduction and testing of soya-beans in Uganda (P. R. RUBAIHAYO and C. L. A. LEAKEY) .. 36(1)77
- Semi-arid areas of Kenya, preliminary selection of pasture plants for (E. B. SANDS, D. B. THOMAS, J. KNIGHT and D. J. PRATT) .. 36(1)49
- Semi-arid central Tanzania, The role of sown

- pastures in (P. M. WIGG) 38(4)375
- Setaria sphacelata*, Digestibility and feed intake investigations at different stages of growth of *Brachiaria ruziziensis*, *Chloris gayana* and, using Corriedale wether sheep.
- I. Digestibility and voluntary intake (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(2)125
- II. Chemical composition and yield (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(4)267
- Seventy years with wheat in Kenya (F. P. PINTO and E. A. HURD (Special issue) . . . 36(1)1
- Sex/age groups of Kenya range cattle, The estimation of liveweight from Heart girth within specified (D. L. YOUNG) 38(2)193

Sheep—

- and cattle ranch in the Kenya Highlands, Management and utilization of Thompson's gazelles on a (H. HVIBERG-HANSEN) 36(4)322
- and goats, The pathogenic importance of gastro-intestinal nematodes for, in relation to the need for the economic development of the livestock industry of Sukumaland, Tanzania (B. McCULLOCH and S. KASIMBALA) 36(1)20
- Digestibility and feed intake investigations at different stages of growth of *Brachiaria ruziziensis*, *Chloris gayana* and *Setaria sphacelata* using corriedale wether.
- I. Digestibility and voluntary intake. . . 37(4)267
- II. Chemical composition and yield (S. V. SONEJI, R. S. MUSANGI and F. J. OLSEN) 37(4)267
- Sitophilus zeamais* Motshulsky and *Ephestia cautella* (walker), Activity of two juvenile hormone analogues with *Heliothis armigera* (Hubner) (W. R. BRANSBY-WILLIAMS) . . . 38(2)170

Shoot—

- and root growth, a study of, on three grass species in Kenya (R. TAERUM) . . 36(2)155
- and root growth, comparative studies on six grasses in Kenya (R. TAERUM) . . . 36(1)94

Softwoods—

- exotic, in East Africa, *Gonometa podocarpis* Aur. (Lepidoptera, Lasiocampidae) a defoliator of, The biology and life cycle at Muko, Kigezi district in Uganda (O. AUSTARA) 36(3)275
- exotic, in East Africa, Host list and distribution of lepidopterous defoliators of (O. AUSTARA and T. JONES) . . . 36(4)401
- exotic, in Kenya, *Orgyia mixta* Snell (Lepidoptera, Lymantriidae) a defoliator of (O. AUSTARA and J. MIGUNDA) 36(3)298

Soil(s)—

- and plant analysis without automatic equipment, Rapid routine. I. Routine soil analysis (H. L. FOSTER) 37(2)160
- at Njoro, Kenya, Observations on lucerne as a pasture legume on volcanic ash (D. B. THOMAS) 37(4)336

- coastal, some, Observations on (J. MAKIN) 36(1)12
- derived from volcanic rocks in Uganda, Fertilizers recommendations for cereals grown on (H. L. FOSTER) 38(3)30
- effect of nitrogen, phosphorus and copper on grain yield of wheat on a copper deficient, The (W. W. WAPAKALA) . . . 38(3)22
- fertility problems in the West Lake Region of Tanzania, including the effects of different forms of cultivation on the fertility of some Ferralsols, Some (J. P. MOBERG) 38(1)3
- fertility studies on loam soils for pasture development in Uganda: Pot experiments (E. A. A. DRADU) 40(2)12
- in Uganda, Liming continuously cultivated (H. L. FOSTER) 36(1)58
- plant analysis without automatic equipment, Rapid routine II. Routine plant analysis (H. L. FOSTER) 38(2)13
- Phosphate sorption capacity in relation to properties of several types of Kenya (G. HINGA) 38(4)40
- The identification of potentially potassium deficient, in Uganda (H. L. FOSTER) . . 37(3)22
- Some aspects of supplementary feeding of dairy cows in the Lake crescent area of Uganda (R. H. PHIPPS) 36(2)18
- Some chemical and mineralogical properties of four soils of the West Lake Region of Tanzania (J. P. MOBERG) 39(1)4
- Some host factors affecting inoculation of cacao seedlings with *Verticillium dahliae* (A. M. EMECHEBE) 40(3)27
- Some pathogen factors affecting inoculation of cacao seedlings with *Verticillium dahliae* (A. M. EMECHEBE) 40(2)16
- Some patterns of response to climate by the Zambian goat (A. R. QUARTERMAN and M. P. BROADBENT) 40(1)11
- Some observations on coastal soils (J. MAKIN) 36(1)12
- Sorghum, Effects of defoliation at flag leaf stage and time of anthesis on the yield of (B. A. C. ENYI) 38(4)4
- Sorghum germ-plasm, Evaluation and utilization of (B. N. MAJISU) 37(2)12
- Sorghum grain, Effects of autopoloidy on (B. N. MAJISU) 36(3)22
- Sorghum improvement, Some cytological aspects of autotetraploid (B. N. MAJISU) . . 37(1)1
- Sorghum improvement tetraploid, Genetic male sterility in (B. N. MAJISU) 36(3)24
- Sorghum varieties and hybrids in East African environments, The yield stability of (B. N. MAJISU and H. DOGGET) 38(2)19
- Sorghums, origin and evolution of Guinea (J. M. J. DE WET, J. R. HARLAND and B. KURMAROHITA) 38(2)1
- Sorghum, The relation between simulated armyworm damage and crop-loss in maize and (E. S. BROWN and A. K. A. MOHAMED) 37(3)22

Soyabean(s)—

- agronomy in Uganda I. Plant populations and spacing (C. L. A. LEAKEY and

- P. R. RUBAIHAYO) 37(2)201
as a potentially valuable crop for agricultural diversification in Central Uganda (C. L. A. LEAKEY and P. R. RUBAIHAYO) 36(1)39
in Uganda, Introduction, testing and selection of (P. R. RUBAIHAYO and C. L. A. LEAKEY) 36(1)77
seed, Effect of puberulent genotype on oil, protein and sugar content of (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZE) 38(2)175
Spacing and nitrogen fertilizer experiment with pawpaw, A note on a (P. J. NORTHWOOD) 36(1)45
Spacing, effects of, fertilizer application and variety, Grain and mulch production from maize in coffee growing areas of Kenya (A. M. KABAARA and B. S. KIMEU) 38(4)334
Spacing, The effects of, on growth, development of cassava (*Manihot esculenta* Grantz)
I. Root tuber yield and yield attributes 38(1)27
II. Physiological factors (B. A. C. ENYI) 38(1)27
Species—
of *Cynodon* L.C. Rich (Gramineae)
Geographic distribution of (J. R. HARLAND, J. M. J. DE WET and K. M. RAWAL) 36(2)220
pasture, Response of, to phosphorus, sulphur and potassium in Eastern Uganda (W. B. WENDT) 36(2)211
three grass in Kenya, A study of root and shoot growth on (R. TAERUM) 36(2)155
Sphodromantis sp. as a predator of the giant looper, *Ascotis selenaria reciprocata* walk. in Kenya coffee: Laboratory evaluation, The praying mantis (R. O. ABASA and A. M. MATHENGE) 37(2)177
Spodoptera exempta (walk.) in relation to wind direction, Light-trap catches of (MARGARET J. HAGGIS) 37(1)100
Spraying of *Acacia hockleyi* wild. with picloram and 2, 4-D/picloram mixtures and additional treatment with picloram granules, The effect of foliar (G. N. HARRINGTON) 37(2)197
Sprays, copper fungicide, Field control of *Dothistroma* Blight of *Pinus radiata* using (I. A. S. GIBSON) 36(3)247
Stainers, cotton, *Dysdercus* spp. (Hem., Pyrrhocoridae) in the laboratory, A modified Geering cage for breeding (J. B. MUTHAMIA) 38(1)75
Stallfeeding experiments with beef cattle in Southern Malawi (A. T. SPURLING and D. SPURLING) 38(1)70
Starch content of different parts of Arabica coffee tree, seasonal variations in, A note on (R. Z. PATEL) 36 (1)
Steer(s)—
crossbred at Kongwa, Tanzania, Studies on water consumption, night grazing and growth of boran and crossbred (P. M. WIGG and M. A. OWEN) 38(4)361
growing wether and, Metabolism of urea nitrogen and adaptation response trends in the (C. N. KARUE, J. L. EVANS and J. G. WELCH) 36(1)88
Metabolism of dietary urea by *Bos indicus* (Boran) and *Bos taurus* (Hereford) (C. N. KARUE, J. L. EVANS and A. D. TILLMAN) 38(1)94
oesophageal fistulated seasonal crude protein content of samples obtained from a tropical range, pasture using (E. A. A. DRADU and G. N. HARRINGTON) 38(1)56
Sterility male genetic, in tetraploid sorghum improvement (B. N. MAJISU) 36(3)243
Study(ies)—
Chemical and microbiological, on Congolese Palm wines (*Elaeis guineensis*) (W. VAN PEE and J. C. SWINGS) 36(3)311
comparative, shoot and root growth on six grasses in Kenya (R. TAERUM) 36(1)94
host range, on the pathogen of Zebra disease of *Agave* hybrid 11648 *Phytophthora nicotianae* (D. J. ALLEN) 36(1)119
of the biology of *Cyperus rotundus* L. Early growth and vegetative reproduction strategy (F. NYAHOZA) 39(2)120
on oversowing of natural grasslands in Kenya.
I. The effects of seed threshing, scarification and storage on the germination of *Desmodium uncinatum* (Jacq) DC. (N. C. O. KEYA and C. L. M. VAN EIJNATTEN) 40(3)261
II. Effects of seed inoculation and pelleting on the nodulation and productivity of *Desmodium uncinatum* (Jacq) DC. (N. C. O. KEYA and C. L. M. VAN EIJNATTEN) 40(4)351
III. The seeding rates for the establishment of *Desmodium uncinatum* (Jacq) DC. when oversown or sod-seeded in *hyparrhenia* grassland (N. C. O. KEYA and C. L. M. VAN EIJNATTEN) 40(4)359
on the soil atmosphere composition under maize, grass and bare fallow in Western Kenya (P. J. M. COOPER) 40(3)313
on the hydrocyclic acid contents of some local varieties of cassava (*Mahihot esculenta* Grantz) and some traditional cassava food products (A. T. D. GONDWE) 40(2)161
on water consumption, night grazing and growth of boran and crossbred steers at Kongwa, Tanzania (P. M. WIGG and M. A. OWEN) 38(4)361
Study, A, on three grass species in Kenya, of root and shoot growth (R. TAERUM) 36(2)155
Study, A, pilot, of the action of copper fungicides in the control of *Dothistroma* Blight of pines (I. A. S. GIBSON, A. K. HOWLAND and F. M. MUNGA) 36(1)139
Stylosanthes gracilis, The effect of phosphate and lime on the establishment, productivity,

- nodulation and persistence of *Desmodium intortum*, *Medicago sativa* and (F. J. OLSEN and P. G. MOE) 37(1)29
- Sugar cane diseases and pests in East Africa, A survey of (P. F. ROGERS and M. N. SIMBWA-BUNNYA) 38(2)162
- Sugar cane diseases of potential importance in East Africa (P. F. ROGERS) 37(1)93
- Sugar cane, inducement of yellow wilt symptoms of, under controlled conditions (B. DE L. INNIS) 37(1)49
- Sugar cane scales, white (*Aulacaspis* spp.) (Diaspididae, Hemiptera) in East Africa, with notes on their natural enemies (D. J. GREATHEAD) 36(1)70
- Sugar content of soyabean seed, Effect of puberulent genotype on oil, protein and (P. R. RUBAIHAYO, H. H. HADLEY and T. HYMOWITZ) 38(2)175
- Sukumaland, Tanzania, sheep and goats, The pathogenic importance of gastro-intestinal nematodes for, in relation to the need for the economic development of the livestock industry of (B. MCCULLOCH and S. KASIMBALA) 36(1)20
- Sulphur, phosphorus and potassium, The response of pasture species to, in Eastern Uganda (W. B. WENDT) 36(2)211
- Superphosphate, in Uganda, Comparison of the yield response of groundnuts to single and triple (H. L. FOSTER) 38(2)103
- Superphosphate, single, Crop response to, using pot tests, in Uganda (H. L. FOSTER) 36(2)200
- Survey of cocoa disease in Uganda (S. MATOVU) 38(3)218
- Survey of sugar cane diseases and pests in East Africa, A (P. F. ROGERS and M. N. SIMBWA-BUNNYA) 38(2)162
- Swine at the university of Ibadan, Nigeria, The heritability and the economic importance of nipple numbers in (J. A. OLUYEMI and EBUN Babatola) 38(3)215
- Synchronization of oestrus and ovulation in *Bos indicus* heifers using an orally active progestogen (J. S. MACFURLANE and R. SALEKA) 36(4)353
- Tanzania—
- Arusha area of, Population dynamics of *Acanthomia* spp. (Hemiptera, Coreidae) on beans and pigeon peas in (M. E. A. MATERU) 36(4)361
- A quality evaluation of four widely distributed native grasses in (E. G. VAN VOORTHUIZEN) 36(4)384
- burrowing nematode, *Radopholus similis* from, and Kenya, The (B. W. NGUNDO and D. P. TAYLOR) 38(4)405
- citrus root nematode *Tylenchulus semi-penetrans* from, The, with notes on its known distribution in Kenya (D. P. TAYLOR and B. W. NGUNDO) 38(4)407
- dynamic aspects of the secondary vegetation in Arusha National Park, The (D. F. VESEY-FITZGERALD) 38(3)314
- Influence of farmyard manure and nitrogen fertilizers on sown pastures, seed yield and quality of *Cenchrus ciliaris* L., at Kongwa, (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) 38(4)36
- role of sown pastures in semi-arid central, The (P. M. WIGG) 38(4)37
- Some newly recorded diseases of minor horticultural crops in (D. J. ALLEN) 37(1)2
- Some soil fertility problems in the West Lake Region of, including the effects of different forms of cultivation on the fertility of some Ferralsols (J. P. MOBERG) 38(1)3
- Studies on water consumption, night grazing and growth of boran and cross-bred steers at Kongwa, (P. M. WIGG and M. A. OWEN) 38(4)36
- Sukumaland, The pathogenic importance of gastro-intestinal nematodes for sheep and goats in relation to the need for the economic development of the livestock industry of (B. MCCULLOCH and S. KASIMBALA) 36(1)2
- Territorial maize variety trials in 1966/70 (A. BOLTON) 37(2)10
- The effect of cutting frequency and cutting height on four naturally occurring pasture grasses in (E. G. VAN VOORTHUIZEN) 37(1)25
- western, The long-term effects of fertilizers, farmyard manure and leys at Mwanhala (M. A. SCAIFE) 37(1)
- Tea in Kenya, *Cylindrocarpum* root rot of (J. M. KORI and J. J. ONDIEKI) 37(3)21
- Technique for root cuttings of *Pinus radiata* in Kenya, A (M. H. IVORY) 36(4)35
- Temperature gradients in the vicinity of the ground, A differential thermistor thermometer for measuring (D. R. JOHNSTONE) 37(4)30
- Testing, Introduction, and selection of soybeans in Uganda (P. R. RUBAIHAYO and C. L. A. LEAKEY) 36(1)7
- Tests of insecticides against *Pineus* spp. in East Africa (K. W. BROWN) 36(2)20
- Tests pot, crop response to single superphosphate in Uganda, using (H. L. FOSTER) 36(2)20
- Tetraploid sorghum improvement, Genetic male sterility in (B. N. MAJISU) 36(3)24
- The apparent digestibility of nutrients and energy values of some oilseed meals and three commonly used cereal grains fed to pigs (V. A. OYENUGA and B. L. FETUGA) 40(4)38
- The effect of N.P. fertilizers on the productivity of Hyparrhenia grassland (N. C. O. KEYA) 39(2)19
- The effect of phosphorus on growth and mineral composition of five tropical grasses (J. A. FALADE) 40(4)34
- The effect of rainfall, soil moisture and harvesting intensity on grass production on two rangeland sites in Kenya (J. T. CASSADY) 39(1)2
- The effect of soil aggregate size on seedling emergence and early growth (M. S. TAYLOR) 40(2)20
- The effect of the level of cotton seed meal in

- the dairy concentrate on milk yield and composition and on estimated pasture consumption in the Lake Crescent Area of Uganda (D. A. CHRISTENSEN, E. J. IPSEN and S. V. SONEJI) 39(2)165
- The effects of varying level of palm oil in a constant high protein diet on performance and carcass characteristics of the growing pig (B. L. FETUGA, G. M. BABATUNDE and V. A. OYENUGA) 40(3)264
- The incidence of cankers on *Maesopsis emini* Engl. in Mabira Forest, Uganda (A. U. OFONG) 39(3)311
- The nature of soils and pH changes in land reclaimed for arable use in the Yala swamp (N. N. NYANDAT) 39(4)397
- The neglected side of black-pod control (A. A. ADEBAYO) 40(1)72
- The nutritive value of herbage in semi-arid lands of East Africa.
I. chemical composition (C. N. KARUE) 40(1)89
II. seasonal influence on the nutritive value of *Themeda triandra* (C. N. KARUE) 40(4)372
- The nutritive value of some Nigerian feeds and foods. I. Evaluation with rats (M. C. NJIKE, A. U. MBA and V. A. OYENUGA) 40(2)138
- The nutritive value of various growth stages of *Pennisetum purpureum* (J. F. ODHIAMBO) 39(3)325
- The performance of imported Kenya and American Jerseys in Uganda (R. H. PHIPPS) 39(4)381
- The presentation of central tendencies in rainfall statistics (R. C. HILLS) 39(4)424
- Themeda triandra*, Some aspects of the ecology of (M. S. NDAWULA-SENYIMBA) 38(1)83
- Thermometer, A differential thermistor, for measuring temperature gradients in the vicinity of the ground (D. R. JOHNSTONE) . . 37(4)300
- Thomson's gazelles, management and utilization of, on a cattle and sheep ranch in the Kenya Highlands (H. HVIDBERG-HANSEN) . . 36(4)322
- Tobacco, Fertilizer trials on fire-cured, in Uganda (H. L. FOSTER) 38(4)394
- Toxicity of some insects against *Manowia* sp. (Acridoidea: Eumastacidae) a pest of *Pinus* plantations in Malawi, The (R. D. MACCUE and A. L. DAVIES) 37(4)273
- Toxicity of synergized pyrethrum to *Acanthomia* spp. I—*Acanthomia tomentosicollis* stål. (M. E. A. MATERU and R. A. MAKUSI) 39(2)141
- Toxicity of technical endosulfan applied topically to *Acanthomia* spp. (Correidae: Hemiptera) (M. E. A. MATERU and R. A. MAKUSI) 37(4)313
- Treatment block, regimen, Effects of, using Ethidium, on cattle trypanosomiasis in an endemic area (P. M. MWAMBU) 36(4)413
- Trees, Arabica coffee, A note on the seasonal variations in starch content of different parts of (R. Z. PATEL) 36(1)1
- Trends adaptation, response and metabolism of urea nitrogen in the growing wether and steer (C. N. KARUE, J. L. EVANS and J. G. WELCH) 36(1)88
- Trial(s)—
A linseed rates (D. D. A. NICHOLSON) . . 37(2)146
at Siamambo, Zambia, wood quality of *Eucalyptus grandis* (Hill) Maiden in fertilizer (A. S. HANS and J. BURLEY) . . 38(2)157
of fungicides for control of terminal crook *Pinus radiata* in Kenya (F. K. ARAP SANG and F. M. MUNGA) 39(1)41
on fire-cured tobacco in Uganda, Fertilizer (H. L. FOSTER) 38(4)394
Some preliminary results of trap-fishing for crabs (J. R. HEATH) 37(2)142
Territorial maize variety, in Tanzania 1966/70 (A. BOLTON) 37(2)109
Tropical range pasture, Seasonal crude protein content samples obtained from a, using oesophageal fistulated steers (E. A. A. DRADU and G. N. HARRINGTON) 38(1)56
Tylenchulus semipenetrans from Tanzania with notes on its known distribution in Kenya, The citrus root nematode (D. P. TAYLOR and B. W. NGUNDO) 38(4)407
Trypanosomiasis cattle, in an endemic area, The effect of a block treatment regimen using Ethidium (P. M. MWAMBU) 36(4)414
The use of raw peanut meal in practical chick diets (S. A. OFFIONG, C. J. FLEGAL and C. C. SHEPPARD) 39(4)344
- Uganda—
A note on the occurrence of *Zabrotes subfasciatus* Boh., Coleoptera (Bruchidae) on legumes in (J. C. DAVIES) . . 37(4)294
Application of nitrogen and irrigation to pastures to enhance cattle production during the dry seasons in (E. R. TIHARUHONDI, F. J. OLSEN and R. S. MUSANGI) 38(4)383
central, Soybeans as a potentially valuable crop for agriculture diversification in (C. L. A. LEAKEY and P. R. RUBAIHAYO) 36(1)39
Comparison of the yield response of groundnuts to single and triple superphosphate in (H. L. FOSTER) 38(2)103
Crop response to single superphosphate in using pot tests (H. L. FOSTER) . . . 37(1)63
Eastern, Response of pasture species in, to phosphorus, sulphur and potassium (W. B. WENDT) 36(2)211
Fertilizer recommendations for cereal grown on soils derived from volcanic rocks in (H. L. FOSTER) 38(3)303
Fertilizer trials on fire-cured tobacco in (H. L. FOSTER) 38(4)394
Introduction, testing and selection of soybeans in (P. R. RUBAIHAYO and C. L. A. LEAKEY) 36(1)77
kob, The effect of heat stress and water deprivation on the environmental physiology of the bushbuck, the reedbuck and the (A. SCHOEN) 37(1)1
Lake Albert, An observation of mass mortality of Nile perch (*Lates* sp.) on

- (I. S. C. PARKER) 36(4)419
- Lake crescent area of, Some aspects of supplementary feeding of dairy cows in (R. H. PHIPPS) 36(2)182
- Liming continuously cultivated soils in (H. L. FOSTER) 36(1)58
- Muko, in Kigezi district, *Gonometa podocarpi* Aur. (Lepidoptera, Lasio-campidae) a defoliator of exotic soft-woods in East Africa, The biology and life cycle at (O. AUSTARA) 36(3)275
- Notes on the control and biology of *Heliothis armigera* (Hub) on pigeon pea in (C. S. KOEHLER and K. O. RACHIE) 36(3)296
- Performance of a small vegetable market garden in (A. G. K. WILL) 38(1)8
- Performance of imported English Jerseys in, The (H. R. PHIPPS) 38(4)329
- Preliminary evaluation and utilization of pigeon pea germplasm in (T. N. KHAN and K. O. RACHIE) 38(1)78
- Resistance of groundnut varieties of bacterial wilt (*Pseudomonas solana-cearum*) in (M. SIMBWA-BUNNYA) 37(4)341
- Serere, Effects of inoculation and fertilizers on *Desmodium intortum* at (W. B. WENDT) 36(4)317
- Soybean agronomy in, I. Plant popula-tions and spacing (C. L. A. LEAKEY and P. R. RUBAIHAYO) 37(3)201
- The identification of potentially potassium deficient soils in (H. L. FOSTER) 37(3)224
- The incidence of *Haematixenus veliferus* uilenberg 1964 in cattle in Serere and Kyoga counties of (A. K. OTENG and G. M. ODEKE) 37(2)212
- Urea, Metabolism of dietary, by *Bos indicus* (Boran) and *Bos taurus* (Hereford) steers (C. N. KARUE, J. L. EVANS and A. D. TILLMAN) 38(1)94
- Urea nitrogen, Metabolism of, and adaptation response trends in the growing wether and steer (C. N. KARUE, J. L. EVANS and J. G. WELCH) 36(1)88
- Use of helicopters in the New Zealand commercial venison industry (C. N. CHALLIES) 39(4)376
- Utilization and management of Thomson's gazelles on a cattle and sheep ranch in the Kenya Highlands (H. HVIDBERG-HANSEN) 36(4)322
- Utilization, Energy, and food intake by cattle (A. ROGERSON) 36(2)195
- Utilization of coffee hulls in cattle fattening rations (H. P. LEDGER and A. D. TILLMAN) 37(3)234
- Utilization of pigeon pea germplasm in Uganda, Preliminary evaluation and (T. N. KHAN and K. O. RACHIE) 38(1)78
- Utilization of urea and molasses for dairy cattle feeding. I—Response of lactating dairy cows to different dietary nitrogen and energy combinations (MARY P. LAWRENCE and J. S. MUGERWA) 39(3)215
- Utilization of urea and molasses for dairy cattle feeding. II—Urea molasses supple-ment for lactating dairy cattle grazing improved pastures in Uganda (J. MUGERWA, MARY P. LAWRENCE and D. A. CHRISTEN-SEN) 39(3)228
- Value, Food and flourine content of Kenya Lake fish (H. BERGH and J. HAUG) 36(4)292
- Valuable potential crop, Soybeans as, for agricultural diversification in central Uganda, a (C. L. A. LEAKEY and P. R. RUBAIHAYO) 36(1)39
- Vanilla (*Vanilla fragrans* (salisb.) (Ames) The role of fungi and cultural factors in the etiology of root rot of, in Uganda (C. L. A. LEAKEY) 36(2)207
- (*Vanilla fragrans* (salisb.) (Ames) The role of fungi and cultural factors in the etiology of root rot of vanilla in Uganda (C. L. A. LEAKEY) 36(2)207
- Variations, A note on the seasonal, in starch content of different parts of Arabica coffee trees (R. Z. PATEL) 36(1)1
- Variations in the level of *Colletotrichum coffeanum* Noack. in the bark of *Coffea arabica* cultivars (S. K. MULINGE) 36(2)227
- Variations, strength and correlations in East African exotic pines and their effect on engineering properties (D. N. PATERSON and P. A. CAMPBELL) 36(1)1
- Varieties and hybrid in East African environ-ment, The stability of sorghum (B. N. MAJISU and H. DOGGET) 38(2)179
- Variety, Effects of spacing, fertilizer applica-tion and grain and mulch production from maize in coffee growing areas of Kenya (A. M. KABAARA and B. S. KIMEU) 38(4)334
- Vegetable market garden in Uganda, Perform-ance of a small (A. G. K. WILL) 38(1)8
- Vegetables in Kenya, Leaf protein content of some (S. K. IMBAMBA) 38(3)246
- Vegetation of Kekopey, a Kenya-cattle ranch (S. A. QVORTRUP) 40(4)439
- Vegetation in Arusha National Park, Tanzania The dynamic aspects of the secondary (D. F. VESEY-FITZGERALD) 38(3)314
- Vegetative characters, A punch card method for the identification of East African grasses based on (M. D. GWYNNE and M. C. NDAWULA-SENYIMBA) 36(4)334
- Verticillium* wilt of cacao in Uganda: Wilt induction by mechanical vessel blockage and mode of recovery of diseased plants (A. M. EMECHEBE, C. L. A. LEAKEY and W. B. BANAGE) 39(4)337
- Virus disease, Notes on East African plant I. Cowpea mosaic virus (K. R. BOCK) 37(1)60
- Volcanic ash soil at Njoro, Kenya, Observa-tions on lucerne as a pasture legume on (D. B. THOMAS) 37(4)336
- Volcanic rocks in Uganda, Fertilizer recom-mendations for cereals grown on soils derived from (H. L. FOSTER) 38(3)303
- Water—
consumption, night grazing and growth of boran and crossbred steers at

- Kongwa, Tanzania, Studies of (P. M. WIGG and M. A. OWEN) 38(4)361
- content of their food, The free water intake of impala in relation to the (P. J. JARMAN) 38(4)343
- copper concentrations and Arabica coffee seedlings (E. A. ADUAYI) 38(1)62
- intake of impala in relation to the water content of their food, The free (P. J. JARMAN) 38(4)343
- use of maize and beans in East Africa, Lysimeter study of (F. J. WANG'ATI) . . 38(2)141
- watermelon mosaic virus, Courgette leaf distortion incited by, Notes on East African plant virus diseases (W. BAKKER) 37(1)78
- water and steer growing, Metabolism of urea nitrogen and adaptation response trends in (C. N. KARUE, J. L. EVANS and J. G. WELCH) 36(1)88
- heat in Kenya, Fertilizer response to (J. F. SEITZER, M. J. BUTT and H. A. MULAMULA) 36(1)131
- heat in Kenya, Seventy years with (F. F. PINTO and E. A. HURD) (special issue) . . 36(1)1
- heat, The effect of nitrogen, phosphorus and copper on grain yield of, on a copper deficient soil (W. W. WAPAKALA) 38(3)229
- white sugar cane scales (*Aulacaspis* sp.) (Diaspididae, Hemiptera) in East Africa with notes on their natural enemies (D. J. GREATHEAD) 36(1)70
- wilt, bacterial (*Pseudomonas solanacearum*) in Uganda, Resistance of groundnut varieties of (M. SIMBWA-BUNNYA) 37(4)341
- wilt of *Coffea arabica* in Kenya, *Fusarium solani* associated with a (CELIA J. BAKER) . . 38(2)137
- wind direction, Light-trap catches of *Spodoptera exempta* (walk) in relation to (MARGARET J. HAGGIS) 37(1)100
- wood quality of *Eucalyptus grandis* (Hill) Maiden, in a fertilizer trial at Siamambo, Zambia (A. S. HANS and J. BURLEY) 38(2)157
- yarding cattle at night without supplementary feeding on the growth of Zebu heifers, Effect of (M. L. KYOMO, H. G. HUTCHISON and I. SALEHE) 37(4)279
- yeast, the flora of fermenting Robusta coffee (W. VAN PEE and J. CASTELEIN) 36(3)308
- years, Seventy, with wheat in Kenya (F. F. PINTO and E. A. HURD) (special issue) . . 36(1)1
- yellow wilt symptoms of sugar cane under controlled conditions, Inducement of (B. DE L. INNIS) 39(1)49
- yield—
- attributes. I. Root-tuber yield and, The effects of spacing on growth development and yield of single and multi-shoot plants of cassava (*Manihot esculenta* Grantz) (B. A. C. ENYI) 38(1)23
- characteristics and milk composition of Mpwapwa cattle (G. H. KIHUHA and M. L. KYOMO) 36(3)290
- II. Chemical composition and, Digestibility and feed intake investigations at different stages of growth of *Brachiaria ruziziensis*, *Chloris gayana* and *Setaria sphacelata* using corriedale wether sheep (S. V. SONEII, R. S. MUSANGI and F. J. OLSEN) 37(4)267
- Effect of nitrogen, phosphorus and copper on grain, The, of wheat on a copper deficient soil (W. W. WAPAKALA) 38(3)229
- response of groundnuts to single and triple superphosphate in Uganda, comparison of the (H. L. FOSTER) 38(2)103
- I. Root tuber and yield attributes, The effects of spacing on growth, development and yield of single and multi-shoot plants of cassava (*Manihot esculenta* Grantz) (B. A. C. ENYI) 38(1)23
- of single and multi-shoot plants of cassava (*Manihot esculenta* Grantz), The effects of spacing on growth, development and
- I. Root tuber yield and yield attributes 38(1)23
- II. Physiological factors (B. A. C. ENYI) 38(1)27
- of sorghum, Effect of defoliation at flag-leaf stage and time of anthesis on (B. A. C. ENYI) 38(4)410
- stability of sorghum varieties and hybrids in East African environment, The (B. N. MAJISU and H. DOGGET) 38(2)179
- seed, and quality of *Cenchrus ciliaris* L., at Kongwa, Tanzania, Influence of farmyard manure and nitrogen fertilizers on sown pastures (P. M. WIGG, M. A. OWEN and N. J. MUKURASI) 38(4)367
- Zabrotes subfasciatus* Boh. Coleoptera (Bruchidae) on legumes in Uganda, A note on the occurrence of (J. C. DAVIES) 37(4)294
- Zambia, Clean cultivation and establishment of *Pinus kesiya* in (F. ENDEAN and B. E. JONES) 38(2)120
- Zambia, Southern Province of, The importance of Boran and NPK fertilizers to Eucalyptus in (E. N. COOLING and B. R. JONES) 36(2)185
- Zambia, Wood quality of *Eucalyptus grandis* (Hill) Maiden in a fertilizer trial at Siamambo (Q. S. HANS and J. BURLEY) 38(2)157
- Zebra disease of Agave hybrid No. 11648 *Phytophthora nicotianae*, Host range studies on the pathogen of (D. J. ALLEN) 36(1)119
- Zebu cattle, Calcium intake and excretion of, used for digestibility trials (B. MARSHALL and M. I. E. LONG) 37(1)46
- Zebu heifers, Effect of yarding cattle at night without supplementary feeding on the growth of (M. L. KYOMO, H. G. HUTCHISON and I. SALEHE) 37(4)279

REVIEWS

A first check list of the Herbaceous Flora of Malawi	36(2)210
A handbook on control of Agricultural Pests in Botswana	40(1)80
A new Ecophysiological approach to forest water relationships in arid climates	40(1)10
A revision of the genus <i>Hyparrhenia</i>	37(1)45
A study of the agroclimatology of the high-lands of Eastern Africa	39(2)130
A text book of soil chemical analysis	39(1)76
Afforestation in Arid Zones	36(3)315
Agrarlandschaftliche veränderungen in Tanzania	37(3)219
Agriculture in Uganda	37(1)7
An edaphological and pedological investigation of the soils in West Lake Region of Tanzania	39(4)375
An introduction to the scientific study of the soil	40(1)43
Annotated catalogue of African grasshoppers, supplement	36(2)170
Atlas of the land system of Western Kenya	39(1)81
Average monthly and annual rainfall maps of East Africa	36(1)4
Beef production in East Africa	37(1)72
Biology of lactation	38(1)92
Biological Nomenclature	40(1)88
Combine Harvester	36(4)360
Common poisonous plants of East Africa	36(1)19
Cotton, with special reference to Africa	38(4)393
Crop improvement in East Africa	38(3)228
Crop production in dry regions	38(4)333
Dictionary of Plant names in Malawi	39(2)188
Domestic Animals of China	36(4)422
East Africa: Its peoples and Resources	36(3)242
East African vegetation	40(3)255
East Africa	40(2)176
East African weeds and their control	38(1)74
Elements and techniques in Parasitology	36(2)210
Farm planning and control	39(2)109
Farming systems in the tropics	38(1)77
Flora of tropical East Africa	37(1)59
Flora of tropical East Africa	40(3)232
Flora Zambesiaca, Pteridophyta	36(4)418
Fundamentals of Plant Pathology	39(2)104
Goat production in the Tropics	36(4)325
Grain crops	38(1)74
Grasses and legumes in British agriculture	38(3)328
Herbarium techniques	37(1)62
Horticultural Science	39(1)94
Mathematics for biologists	36(1)44
Modernizing peasant society: A comparative study in Asia and Africa	36(2)234
Meteorology and grain storage	38(1)82
Monograph of the genus <i>Adenia</i> Forsk. (<i>Passifloraceae</i>)	38(1)102
Mwea—An Irrigated Rice Settlement in Kenya	40(4)371
Native trees of Canada	37(3)257
Night shades, The paradoxical plants	36(2)201
Pans Manual No. 2: Pest control in ground-	

nuts	36(4)
Pans Manual No. 3: Pest control in Rice	36(4)
Pans Pest articles and News Summaries Vol. 16 No. 3	36(4)
Performance recording in sheep	37(1)
Phloem transport in plants	37(3)
Phloem Translocation	40(1)
Plant Agriculture	36(4)
Population Genetics in Animal breeding	36(3)
Population resource environment	39(2)
Practical soil moisture problems in Agriculture Technical No. 97 World Meteorological Organization	38(1)
Principles of dispersal in higher plants	38(4)
Principles of insect chemo-sterilization	36(1)
Protection of plant against adverse weather	38(1)
Pulses in Ethiopia: their taxonomy and agricultural significance	40(3)
Resources and man	36(4)
Settlement Schemes in Tropical Africa	36(1)
Some aspects of the structure of Indian agricultural economy	36(4)
Some confidence limits of expected rainfall	36(1)
Some experiences with Smallholder settlement in Kenya 1963/64—1966/67	38(2)
Studien zu Fragen der Subu—rinder Zucht in den Tropen	37(3)
Swine production in Temperate and Tropical environments	40(4)
Termites	38(4)
Termite problems in India	40(2)
The choice of agricultural strategy and the development of manufacturing	39(4)
The combining of various crops	36(4)
The desert locust	38(1)
The distribution of the damage potential of the desert locust	36(2)
The presentation of Technical information	40(1)
The pulping characteristics of <i>Pinus caribaea</i> from the main growing areas in Fiji, 1971	39(1)
The prices Responsiveness of Sao Paulo coffee growers	36(4)
The role of the Tripanosomiasis in African ecology	37(3)
The role of Nitrogen in Grassland Productivity	36(4)
The structure of staple food Marketing in Nigeria as revealed by price analysis	36(4)
The Structure and utilization of Oil seeds	36(4)
The wealth of India	39(4)
Timber for building in Tanzania	37(3)
TPI Crop and product digest No. 2 root crops	41(2)
Trees: Structure and function	38(1)
Tropical Crops: Monocotyledons	39(1)
Tropical macrofungi	39(4)
Tropical pest bulletin 1: Illustrated descriptions, distribution maps and bibliography of the species of <i>Quelea</i> (weaver birds: <i>Ploceidae</i>)	38(1)
Uganda Land Systems	39(1)
Vegetable Oils and Oilseeds	38(1)
Viability of seeds	38(1)

Vitamins in Feeds for livestock	36(3)289	Kenya's National Report to the United Nations on the human environment ..	38(4)415
Water well manual	37(4)299	Measuring the effectiveness of agricultural marketing in contributing to economic development: Some African Examples ..	37(3)264
Weed control in the tropics	38(1)15	Physical Edaphology	38(4)415
W.M.O. Technical Note 96. Air Pollutants, meteorology and plant injury	38(1)46	Plantation crops	36(2)199
Wood Density in conifers	36(3)274	Principles of dispersal in Higher plants ..	36(2)199
<i>Noted by Title Only</i>		Research Report No. 6. Report concerning the soil samples in the West Lake Region of Tanzania	37(4)299
Acrida, Vols. 1 and 2	38(4)415	The economic imperialism of the Royal Niger Company	38(2)113
Agricultural change in Mazabuku district, Zambia	37(3)264	The Role of Science and Technology in developing countries.. ..	37(3)264
Agricultural patterns in the Mediterranean area and Near East (As exemplified by Turkey)	36(2)199	Technical Note No. 100 (Data processing (W.M.O.))	38(2)113
Agricultural statistics for developing countries	38(4)415	Tropical Products Institute: Publications List—November, 1971	38(2)113
Crop and Product Digests 1: Oils and Oilseeds	38(2)113	World Animal Review 1: 1972	38(2)113
Dairy Production	38(2)113		
Ecological basis for subsistence change among the Sandawe of Tanzania	37(3)264		
Fruit	37(3)264		

AUTHOR INDEX

Abasa, R. O. 37 (2) 177; (3) 181; 39 (2) 144; 40 (3) 292
 Adebayo, A. A. 40(1)72
 Aduayi, E. A. 37(3) 185; 38 (1) 62, (2) 207
 Aidley, D. J. 40(2)202
 Allen, D. J. 36 (1) 119; 37 (1) 22
 Anderson, G. D. 39(3)272
 arap Sang, F. K. 39(1)37, 41
 Austara, O. 36(1)114; (3)275, 298; (4)401

 Babatola, E. 38(3)215
 Babatunde, G. M. 40(3)264
 Baker, C. J. 38(2)137
 Bakker, W. 37(1)78; 40(1)11
 Banage, W. B. 39(4)337
 Bardner, R. 39(2)203; 40(2)214
 Baustad, B. M. 40(1)96
 Bergh, H. 36(4)392; 37(1)38
 Bezuneh, T. 37(2)156
 Blankenship, L. H. 40(4)439
 Bock, K. R. 37(1)60; 39(1)77
 Bogdan, A. V. 36(1)35
 Bolton, A. 37(2)109
 Bos, J. J. 39(1)17
 Boxall, B. A. 39(3)330
 Bradbury, J. F. 40(1)111
 Bransby-Williams, W. R. 38(2)170
 Broadbent, M. P. 40(1)115
 Brown, E. S. 37(3)237
 Brown, K. W. 36(2)200
 Burley, J. 38(2)157
 Busuulwa, L. N. 38(3)298
 Butt, M. J. 36(1)131

 Campbell, P. A. 36(1)7; 39(4)433
 Castelein, J. 36(3)308
 Cassady, J. T. 39(1)26
 Challies, C. N. 39(4)376
 Chawdhry, M. A. 39(4)402; 40(1)65
 Chheda, H. R. 40(3)217
 Christensen, D. A. 39(1)1, (2)165, (3)228
 Cooling, E. N. 36(2)185
 Cooper, P. J. M. 40(3)313
 Crowder, L. V. 40(1)217

 Darrah, L. L. 40(1)77
 Davies, A. L. 37(4)272, 294
 de Vries, S. 39(2)176; 40(3)227
 de Wet, J. M. J. 36(2)220; 38(2)114
 Doggett, H. 38(2)179
 Dradu, E. A. A. 38(1)56; 40(2)125
 Dyson, W. G. 39(4)349

 Early, M. P. 39(1)57
 Eberhart, S. A. 39(1)12, 61
 Egbuiwe, C. P. 40(3)285
 Emechebe, A. M. 39(4)337; 40(2)168, (3)271
 Endean, F. 38(2)120
 Enyi, B. A. C. 38(1)23, 27, (4)410
 Evans, J. L. 36(1)88; 38(1)94 (4)352

Falade, J. A. 40(4)
 Fetuga, B. 40(3)264, (4)
 Flegal, C. J. 39(4)
 Foster, H. L. 36(1)58, (2)202; 37(1)63, (2)160, (3)2
 38(2)103, 130, (3)303, (4)
 Francis, J. 40(1)

 Gebbrekidan, B. 40(4)
 Gibson, I. A. S. 36(1)139, (3)
 Gondwe, A. T. D. 40(2)
 Goode, P. M. 40(3)
 Greathead, D. J. 36(1)70; 38(2)
 Guthrie, E. J. 39(1)77, (4)
 Gwynne, M. B. 36(4)

 Hadley, H. H. 38(2)
 Haggis, M. J. 37(2)
 Hans, A. S. 38(2)157; 39(3)
 Harder, D. E. 38(3)
 Harland, J. R. 36(2)220; 38(2)
 Harrington, G. N. 37(3)197; 38(1)56; 39(1)
 Harrison, M. N. 39(1)12
 Harris, D. C. 38(3)
 Haswell, D. R. 39(2)
 Haug, J. 36(4)392; 37(1)
 Heath, J. R. 37(2)
 Hills, R. C. 39(4)
 Hinga, G. 38(4)
 Holliday, R. 37(2)148, (3)220, (4)
 Honisch, O. 40(2)
 Howland, A. K. 36(1)
 Hutchison, H. G. 37(4)
 Huxley, P. A. 40(3)
 Hvidberg, H. H. 36(4)
 Hymowitz, T. 37(1)73; 38(2)

 Igboeli, G. 39(2)136, 189; 40(2)
 Imbamba, S. K. 38(3)
 Innes N. de L. 37(1)49; 38(3)
 Ipsen, E. J. 39(2)
 Ivens, G. W. 37(2)171; 40(3)
 Ivory, M. H. 36(4)356; 39(2)

 Jarman, P. J. 38(4)
 Johnson, D. R. 37(4)
 Jones, B. E. 36(2)185; 38(2)
 Jones, T. 36(4)

 Kabaara, A. M. 38(4)
 Kahumbura, J. M. 38(1)47; 40(1)
 Kori, J. M. 37(3)
 Karue, C. N. 36(1)88; 38(1)94, (4)352; 40(1)89, (4)
 Kasimbala S. 36(1)
 Kayongo-Male, H. 40(4)
 Keya, N. C. O. 37(2)148, (3)220, (4)286; 39(2)
 (3)240, 247; 40(3)261, (4)351,
 Khan, T. N. 38(1)
 Kimenyi, D. 40(4)
 Kimeu, B. S. 38(2)207, (4)

Kiwuwa, G. H.	36(3)290; 38(3)252, 262, 273; 39(2)105, 110, (3)289, 298	Northwood, P. J.	36(1)45
Klebek, C. J.	37(1)73	Nyaas-Aakerbakken, O.	38(3)282
Knight, J.	36(1)49	Nyahoza, F.	39(2)120, (3)258
Koehler, C. S.	36(1)83, (3)296	Nyandat, N. N.	38(1)1; 39(4)397
Kulkani, H. Y.	39(1)72, 77, (2)158	Nyiira, Z. M.	39(2)99, 131
Kurmarohita, B.	38(2)114	Ochetim, S.	39(1)1
Kyomo, M. L.	36(3)290; 37(4)279	Odeke, G. M.	37(3)211
Laksesvela, B.	37(1)38	Odera, J. A.	37(4)308
Lawrence, M. P.	39(3)215, 228	Odhiambo, J. F.	39(3)325
Leakey, C. L. A.	36(1)29, 77, (2)207; 37(3)201; 39(4)337	Offiong, S. A.	39(4)344
Ledger, H. P.	36(2)177; 37(3)234	Ofong, A. U.	39(3)311
Lensing, F. H. G.	39(1)17	Olaloku, E. A.	40(1)103
Long, M. I. E.	37(1)46	Olembo, T. W.	38(2)201
Luhanga, W. W.	40(1)50	Olsen, F. J.	37(1)29, (2)125, 148, (3)220, (4)267, 286; 38(1)16, (4)383; 39(4)391
Lusasi, I. M.	40(1)50	Oluyemi, J. A.	38(3)215; 40(2)157
Lwanga, M. M.	40(1)50	Ondieki, J. J.	37(3)212
McCuaig, R. D.	37(4)272	Osborne, J. F.	39(3)265
McFarlane, J. S.	36(4)353	Osinga, A.	39(2)176
Majisu, B. N.	36(3)235, 243; 37(1)54, (2)129; 38(2)179	Oteng, A. K.	37(3)211
Makin, J.	36(1)124	Owen, M. A.	38(4)361, 367; 40(1)1
Makusi, R. A.	37(4)313; 39(2)141; 40(1)50	Oyenuga, V. A.	40(1)103, (2)138, 157, (3)264, 285, (4)366, 388
Maloiy, G. M. O.	40(2)177	Parker, I. S. C.	36(4)419
Marandu, W. Y. F.	40(4)400	Parker, J. D.	38(1)47
Mariam-Haile, M. K.	40(3)256	Patel, R. Z.	36(1)1
Marshall, B.	37(1)46	Paterson, D. N.	36(1)7
Materu, M. E. A.	36(4)361; 37(4)313; 39(2)141; 40(1)50	Peloquin, S. J.	40(3)256
Mathenge, W. M.	37(2)177, 40(2)214	Penny, L. H.	39(1); 40(1)77
Matovu, S.	38(3)218	Pereira, J. L.	37(4)318
Mba, A. U.	40(2)138, (3)285, (4)366	Phipps, R. H.	36(2)182; 38(4)329; 39(4)381
McCulloch, B.	36(1)20	Pinkerton, A.	37(2)87
McCrae, A. W. R.	40(3)335	Popay, A. I.	40(1)30; (4)408
McNutt, D. N.	39(3)205	Pratt, D. J.	36(1)49; 40(3)278
Mehta, P. N.	36(1)83; 39(2)99	Quartermain, A. R.	40(1)115
Mies, D. W.	37(1)73	Qvortrup, S. A.	40(4)439
Migunda, J.	36(2)231, (3)298	Rachie, K. O.	36(3)296; 38(1)78
Milburn, T. R.	39(4)356, 368	Rao Vadlamudi, Y.	40(2)189
Moberg, J. P.	38(1)35; 39(1)46	Rawal, K. M.	36(2)220
Moe, P. G.	37(1)29	Rees, W. A.	40(1)44
Mohamed, K. A.	37(3)237	Robertson, I. A. D.	39(1)82
Mohamed-Saleem, M. A.	40(3)217	Rogerson, A.	36(2)177, 195
Mongi, H. O.	40(4)400	Rogers, P. F.	37(2)93; 38(2)162
Monyo, J. H.	39(2)140	Rubaihayo, P. R.	36(1)39, 77; 37(3)201; 38(2)175
Mtenga, L. A.	39(3)307	Russel, W. S.	40(4)416
Mugerwa, J. S.	39(1)1, (3)215, 228	Said, A. N.	37(1)15
Mulamula, H. A.	36(1)131	Salehe, I.	37(4)279
Mukurasi, N. J.	38(4)367	Saleka, R.	36(4)353
Mulinge, S. K.	36(2)227	Sands, E. B.	36(1)49
Munga, F. M.	36(1)139; 39(1)37, 41	Scaif, M. A.	37(1)8
Musangi, R. S.	37(2)125, (4)267; 38(4)383	Schoen, A.	37(1)1, (4)325
Muthamia, J. B.	38(1)75	Seitzer, J. F.	36(1)131
Mwakatundu, A. G. K.	40(1)1	Selassie, T. G.	40(4)337
Mwakha, E.	36(1)35; 37(1)26, (3)206	Sheldrick, R. D.	40(3)394
Mwambu, P. M.	36(4)414	Sheppard, C. C.	39(4)344
Mwaruka, S. H.	39(2)149	Shikony, E. N.	40(1)50
Nandra, S. S.	40(1)24	Sugiyama, T.	39(3)307
Ndawula-Seniyimba, M. S.	36(4)334; 37(3)192; 38(1)83	Simbwa-Bunnya, M. N.	37(4)341; 38(2)162
Ndegwe, N. A.	39(4)356, 368	Soneji, S. V.	37(2)125, (4)267; 39(2)165
Ndyanabo, W. K.	39(3)210	Spurling, D.	38(1)70
Ngundo, B. W.	38(4)405, 407	Spurling, A. T.	38(1)70
Nicholson, D. D. A.	37(2)146		
Njike, M. C.	40(2)138, (4)366		

Styles, B. T.	39(4)407	van Eijnatten, C. L. M. ..	40(3)261, (4)351, 539
Swings, J. G.	36(3)311	van Pee, W.	36(3)308, 311
Taerum, R.	36(1)94, (2)155, 171	van Voorthuizen, E. G. ..	36(4)384; 37(3)258
Tallantire, A. C.	40(3)233	Vesey-FitzGerald, D. F. ..	38(3)314
Tarimo, C. S.	38(1)47; 40(3)332	Walker, D. J.	39(3)330
Taylor, M. S.	40(2)204	Wangati, F. J.	38(2)141
Taylor, D. P.	38(4)405, 407	Wapakala, W. W.	38(2)211, (3)229
Terry, P. J.	39(4)386	Webster, J. P. G.	37(4)331
Thairu, D. M.	37(3)215	Welch, J. G.	36(1)88
Thimm, H. V.	40(2)189	Wendt, W. B.	36(2)211, (4)317
Thomas, D. B.	36(1)49; 37(4)336	Wigg, P. M.	38(4)361, 367, 375
Thomas, K. M.	39(2)170; 40(2)152, (4)422	Will, A. G. K.	38(1)8
Thomas, J. W.	40(4)428	Williams, G. H.	40(4)453
Tiharuhondi, E. R.	38(1)16, (4)383	Yirgou, D.	40(1)11
Tillman, A. D.	37(3)237; 38(1)94, (4)352	Young, D. L.	38(2)193
Turk, A.	40(3)300	Zeinstra, J.	39(2)176
Tveitnes, S.	38(3)282		
URIYO, A. P.	40(4)400		

